



# Threaded Rod - Allthread - Steel - Plain

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.


## INFORMATION

UNC - UNF - METRIC - BSW - Includes plain mild steel and high tensile. Also known as booker rod.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Steel - Plain

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm
			<i>inches</i>
AT022C-0305-M	2-56 UNC (2.184mm)	0.454 mm / 56 TPI	304.8 <i>12.000</i>
AT029C-0305-M	4-40 UNC (2.845mm)	0.635 mm / 40 TPI	304.8 <i>12.000</i>
AT029C-0914-M	4-40 UNC (2.845mm)	0.635 mm / 40 TPI	914.4 <i>36.000</i>
AT035C-0305-M	6-32 UNC (3.5mm)	0.794 mm / 32 TPI	304.8 <i>12.000</i>
# AT035C-0914-M	6-32 UNC (3.5mm)	0.794 mm / 32 TPI	914.4 <i>36.000</i>
# AT040M-1000-M	M4x0.7 (4mm Standard)	0.700 mm / 36.29 TPI	1000 <i>39.370</i>
AT042C-0914-M	8-32 UNC (4.166mm)	0.794 mm / 32 TPI	914.4 <i>36.000</i>
AT048C-0914-M	10-24 UNC (4.762mm)	1.058 mm / 24 TPI	914.4 <i>36.000</i>
AT048F-0914-M	10-32 UNF (4.762mm)	0.794 mm / 32 TPI	914.4 <i>36.000</i>
# AT050M-1000-M	M5x0.8 (5mm Standard)	0.800 mm / 31.75 TPI	1000 <i>39.370</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Steel - Plain

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm
			<i>inches</i>
# AT060M-1000-M	M6x1 (6mm Standard)	1.000 mm / 25.4 TPI	1000 <i>39.370</i>
AT064C-0914-M	1/4-20 UNC (6.35mm)	1.270 mm / 20 TPI	914.4 <i>36.000</i>
AT064F-0914-M	1/4-28 UNF (6.35mm)	0.907 mm / 28 TPI	914.4 <i>36.000</i>
# AT079C-0914-M	5/16-18 UNC (7.938mm)	1.411 mm / 18 TPI	914.4 <i>36.000</i>
AT079W-0914-M	5/16-18 BSW (7.938mm)	1.411 mm / 18 TPI	914.4 <i>36.000</i>
AT079F-0914-M	5/16-24 UNF (7.938mm)	1.058 mm / 24 TPI	914.4 <i>36.000</i>
AT080M-1000-H	M8x1.25 (8mm Standard)	1.250 mm / 20.32 TPI	1000 <i>39.370</i>
# AT080M-1000-M	M8x1.25 (8mm Standard)	1.250 mm / 20.32 TPI	1000 <i>39.370</i>
# AT095C-0914-M	3/8-16 UNC (9.525mm)	1.588 mm / 16 TPI	914.4 <i>36.000</i>
# AT095F-0914-M	3/8-24 UNF (9.525mm)	1.058 mm / 24 TPI	914.4 <i>36.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Steel - Plain

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm
			<i>inches</i>
# AT100M-1000-H	M10x1.5 (10mm Standard)	1.500 mm / 16.93 TPI	1000 <i>39.370</i>
# AT100M-1000-M	M10x1.5 (10mm Standard)	1.500 mm / 16.93 TPI	1000 <i>39.370</i>
# AT111C-0914-M	7/16-14 UNC (11.113mm)	1.814 mm / 14 TPI	914.4 <i>36.000</i>
# AT111F-0914-M	7/16-20 UNF (11.113mm)	1.270 mm / 20 TPI	914.4 <i>36.000</i>
# AT120M-1000-M	M12x1.75 (12mm Standard)	1.750 mm / 14.51 TPI	1000 <i>39.370</i>
AT120M-1000-H	M12x1.75 (12mm Standard)	1.750 mm / 14.51 TPI	1000 <i>39.370</i>
# AT127C-0914-M	1/2-13 UNC (12.7mm)	1.954 mm / 13 TPI	914.4 <i>36.000</i>
# AT127F-0914-M	1/2-20 UNF (12.7mm)	1.270 mm / 20 TPI	914.4 <i>36.000</i>
# AT140M-1000-M	M14x2 (14mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>
# AT159C-0914-M	5/8-11 UNC (15.875mm)	2.309 mm / 11 TPI	914.4 <i>36.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Steel - Plain

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm
			<i>inches</i>
# AT159F-0914-M	5/8-18 UNF (15.875mm)	1.411 mm / 18 TPI	914.4 <i>36.000</i>
# AT160M-1000-H	M16x2 (16mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>
# AT160M-1000-M	M16x2 (16mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>
# AT180M-1000-M	M18x2.5 (18mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>
# AT191C-0914-M	3/4-10 UNC (19.05mm)	2.540 mm / 10 TPI	914.4 <i>36.000</i>
# AT191F-0914-M	3/4-16 UNF (19.05mm)	1.588 mm / 16 TPI	914.4 <i>36.000</i>
# AT200M-1000-H	M20x2.5 (20mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>
AT200M-1000-M	M20x2.5 (20mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>
# AT220M-1000-M	M22x2.5 (22mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>
# AT222C-0914-M	7/8-9 UNC (22.225mm)	2.822 mm / 9 TPI	914.4 <i>36.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Steel - Plain

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm
			<i>inches</i>
# AT222F-0914-M	7/8-14 UNF (22.225mm)	1.814 mm / 14 TPI	914.4 <i>36.000</i>
# AT240M-1000-M	M24x3 (24mm Standard)	3.000 mm / 8.46 TPI	1000 <i>39.370</i>
# AT254C-0914-M	1-8 UNC (25.4mm)	3.175 mm / 8 TPI	914.4 <i>36.000</i>
# AT254F-0914-M	1-12 UNF (25.4mm)	2.117 mm / 12 TPI	914.4 <i>36.000</i>
# AT270M-1000-M	M27x3 (27mm Standard)	3.000 mm / 8.46 TPI	1000 <i>39.370</i>
# AT300M-1000-M	M30x3.5 (30mm Standard)	3.500 mm / 72.6 TPI	1000 <i>39.370</i>
# AT330M-1000-M	M33x3.5 (33mm Standard)	3.500 mm / 72.6 TPI	1000 <i>39.370</i>
# AT360M-1000-M	M36x4 (36mm Standard)	4.000 mm / 6.35 TPI	1000 <i>39.370</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Distributed By:

