



# Threaded Rod - Allthread - Steel - Zinc Plated

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 6


## INFORMATION

UNC - UNF - METRIC - BSW. Also known as booker rod.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Steel - Zinc Plated

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm <i>inches</i>	Material
AT026M-1000-MZ	M2.6x0.45 (2.6mm)	0.450 mm / 56.44 TPI	1000 <i>39.370</i>	Mild Steel
AT030M-1000-MZ	M3x0.5 (3mm Standard)	0.500 mm / 50.8 TPI	1000 <i>39.370</i>	Zinc Plated Mild Steel
AT040M-1000-MZ	M4x0.7 (4mm Standard)	0.700 mm / 36.29 TPI	1000 <i>39.370</i>	Zinc Plated Mild Steel
AT048C-0914-MZ	10-24 UNC (4.762mm)	1.058 mm / 24 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
# AT048W-0914-MZ	3/16-24 BSW (4.762mm)	1.058 mm / 24 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
AT050M-1000-MZ	M5x0.8 (5mm Standard)	0.800 mm / 31.75 TPI	1000 <i>39.370</i>	Zinc Plated Mild Steel
AT060M-1000-MZ	M6x1 (6mm Standard)	1.000 mm / 25.4 TPI	1000 <i>39.370</i>	Zinc Plated Mild Steel
AT064W-0914-MZ	1/4-20 BSW (6.35mm)	1.270 mm / 20 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
AT079W-0914-MZ	5/16-18 BSW (7.938mm)	1.411 mm / 18 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
AT080M-1000-MZ	M8x1.25 (8mm Standard)	1.250 mm / 20.32 TPI	1000 <i>39.370</i>	Zinc Plated Mild Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Steel - Zinc Plated

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm <i>inches</i>	Material
AT095W-0914-MZ	3/8-16 BSW (9.525mm)	1.588 mm / 16 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
AT100M-1000-MZ	M10x1.5 (10mm Standard)	1.500 mm / 16.93 TPI	1000 <i>39.370</i>	Zinc Plated Mild Steel
# AT100M-1000-HG	M10x1.5 (10mm Standard)	1.500 mm / 16.93 TPI	1000 <i>39.370</i>	High Tensile 8.8 Galvanised
# AT100M-1000-MG	M10x1.5 (10mm Standard)	1.500 mm / 16.93 TPI	1000 <i>39.370</i>	Mild Steel 4.6 Galvanised
# AT111W-0914-MZ	7/16-14 BSW (11.113mm)	1.814 mm / 14 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
# AT120M-1000-MG	M12x1.75 (12mm Standard)	1.750 mm / 14.51 TPI	1000 <i>39.370</i>	Mild Steel 4.6 Galvanised
AT120M-1000-MZ	M12x1.75 (12mm Standard)	1.750 mm / 14.51 TPI	1000 <i>39.370</i>	Zinc Plated Mild Steel
# AT127W-0914-MZ	1/2-12 BSW (12.7mm)	2.117 mm / 12 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
# AT159W-0914-MZ	5/8-11 BSW (15.875mm)	2.309 mm / 11 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
# AT160M-1000-HG	M16x2 (16mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>	High Tensile 8.8 Galvanised

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Steel - Zinc Plated

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm <i>inches</i>	Material
# AT160M-1000-MG	M16x2 (16mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>	Mild Steel 4.6 Galvanised
# AT160M-1000-MZ	M16x2 (16mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>	Zinc Plated Mild Steel
# AT191W-0914-MZ	3/4-10 BSW (19.05mm)	2.540 mm / 10.00 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
# AT200M-1000-HG	M20x2.5 (20mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>	High Tensile 8.8 Galvanised
# AT200M-1000-MG	M20x2.5 (20mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>	Mild Steel 4.6 Galvanised
# AT200M-1000-MZ	M20x2.5 (20mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>	Zinc Plated Mild Steel
AT222W-0914-MZ	7/8-9 BSW (22.225mm)	2.822 mm / 9 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel
# AT254W-0914-MZ	1-8 BSW (25.4mm)	3.175 mm / 8.00 TPI	914.4 <i>36.000</i>	Zinc Plated Mild Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

