



Tools - Taps - High Speed Steel - Extension

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 5


INFORMATION

Intermediate small shank spiral point extension taps 150mm long

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Tools - Taps - High Speed Steel - Extension

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Type	Square Shank Dia. mm	Drill Size Range mm	Material	Number of Flutes	GH Limit
				<i>inches</i>	<i>inches</i>			
# TU-TT94101RS	6-32 UNC (3.5mm)	0.794 mm / 32 TPI	Intermediate	1.85 <i>0.073</i>	2.85 <i>0.112</i>	High Speed Steel	2	H3
# TU-TT94102RS	8-32 UNC (4.166mm)	0.794 mm / 32 TPI	Intermediate	2.34 <i>0.092</i>	3.50 <i>0.138</i>	High Speed Steel	2	H3
# TU-TT94103RS	10-24 UNC (4.762mm)	1.058 mm / 24 TPI	Intermediate	2.59 <i>0.102</i>	3.90 <i>0.154</i>	High Speed Steel	2	H3
# TU-TT94104RS	10-32 UNF (4.762mm)	0.794 mm / 32 TPI	Intermediate	2.59 <i>0.102</i>	4.10 <i>0.161</i>	High Speed Steel	2	H3
# TU-TT94105RS	1/4-20 UNC (6.35mm)	1.270 mm / 20 TPI	Intermediate	3.53 <i>0.139</i>	5.10 <i>0.201</i>	High Speed Steel	2	H3
# TU-TT94107RS	5/16-18 UNC (7.938mm)	1.411 mm / 18 TPI	Intermediate	4.57 <i>0.180</i>	6.60 <i>0.260</i>	High Speed Steel	2	H3
# TU-TT94109RS	3/8-16 UNC (9.525mm)	1.588 mm / 16 TPI	Intermediate	5.23 <i>0.206</i>	8.00 <i>0.315</i>	High Speed Steel	3	H3
# TU-TT94112RS	7/16-20 UNF (11.113mm)	1.270 mm / 20 TPI	Intermediate	6.15 <i>0.242</i>	9.40 <i>0.370</i>	High Speed Steel	3	H3

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Tools - Taps - High Speed Steel - Extension

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Type	Square Shank Dia. mm	Drill Size Range mm	Material	Number of Flutes	GH Limit
				<i>inches</i>	<i>inches</i>			
# TU-TT94113RS	1/2-13 UNC (12.7mm)	1.954 mm / 13 TPI	Intermediate	6.99 <i>0.275</i>	10.80 <i>0.425</i>	High Speed Steel	3	H3
# TU-TT94114RS	1/2-20 UNF (12.7mm)	1.270 mm / 20 TPI	Intermediate	6.99 <i>0.275</i>	11.50 <i>0.453</i>	High Speed Steel	3	H3
# TU-TT94115RS	5/8-11 UNC (15.875mm)	2.309 mm / 11 TPI	Intermediate	9.14 <i>0.360</i>	13.50 <i>0.531</i>	High Speed Steel	3	H3
# TU-TT94116RS	5/8-18 UNF (15.875mm)	1.411 mm / 18 TPI	Intermediate	9.14 <i>0.360</i>	14.50 <i>0.571</i>	High Speed Steel	3	H3
# TU-TT94117RS	3/4-10 UNC (19.05mm)	2.540 mm / 10 TPI	Intermediate	11.23 <i>0.442</i>	16.50 <i>0.650</i>	High Speed Steel	3	H3
# TU-TT94118RS	3/4-16 UNF (19.05mm)	1.588 mm / 16 TPI	Intermediate	11.23 <i>0.442</i>	17.50 <i>0.689</i>	High Speed Steel	3	H3

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

