



Washers - Lock - Split - Stainless Steel

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 11


INFORMATION

304 Grade Stainless Steel

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split - Stainless Steel

Part Number	Nom. ID	Outside Diameter	Thickness	Pack Size	Info	Info	Info	Info
# W0015-T-003-004-L-S6	1.524	3.3	0.40			316 Stainless	0 (UNC/UNF)	DIN 127 B
W0015-T-003-004-L-S4	1.524	3.3	0.40			304 Stainless	0 (UNC/UNF)	DIN 127 B
W0020-T-004-005-L-S4	2	4.4	0.50			304 Stainless	M2	DIN 127 B
# W0020-T-004-005-L-S6	2	4.4	0.50			316 Stainless	M2	DIN 127 B
# W0022-T-004-004-L-S4	2.184	3.8	0.40			304 Stainless	2 (UNC/UNF)	ANSI B18.21.1
W0025-T-005-006-L-S4	2.5	5.1	0.60			304 Stainless	M2.5	DIN 127 B
# W0025-T-005-006-L-S6	2.5	5.1	0.60			316 Stainless	M2.5	DIN 127 B
W0030-T-006-010-L-S4	3	5.6	1.00			304 Stainless	M3	DIN 127 B
W0030-T-006-010-L-S6	3	5.6	1.00			316 Stainless	M3	DIN 127 B
W0030-T-006-005-L-S4	3	6.2	0.50			304 Stainless	M3, 1/8	DIN 127 B
W0032-T-006-008-L-S6	3.175	6.2	0.80			316 Stainless	M3, 1/8	DIN127
W0032-T-006-008-L-S4	3.175	6.2	0.80			304 Stainless	M3, 1/8	DIN127
# W0032-T-007-007-L-S4	3.175	6.7	0.70			304 Stainless		DIN 127 B
W0035-T-006-006-L-S4	3.5	6	0.60			304 Stainless	6 (UNC/UNF)	ANSI B18.21.1

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split - Stainless Steel

Part Number	Nom. ID	Outside Diameter	Thickness	Pack Size	Info	Info	Info	Info
# W0035-T-006-006-L-S6	3.5	6	0.60			316 Stainless	6 (UNC/UNF)	ANSI B18.21.1
W0032-T-007-007-L-S6	3.5	6.7	0.70			316 Stainless		DIN 127 B
# W0040-T-007-008-L-S4	4	6.8	0.80			304 Stainless	8 (UNC/UNF)	ANSI B18.21.1
W0040-T-007-012-L-S4	4	7	1.20			304 Stainless	M4, 5/32	ANSI B18.21.1
W0040-T-007-012-L-S6	4	7	1.20			316 Stainless	M4, 5/32	ANSI B18.21.1
W0040-T-008-009-L-S4	4	7.6	0.90			304 Stainless	M4, 5/32	DIN 127 B
# W0040-T-008-009-L-S6	4	7.6	0.90			316 Stainless	M4, 5/32	DIN 127 B
# W0042-T-006-008-L-S3	4.166	6.35	0.79					
# W0042-T-007-010-L-S3	4.166	7.442	1.02					
W0048-T-008-010-L-S4	4.762	8.2	1.00			304 Stainless	3/16, 10 (UNC/UNF)	ANSI B18.21.1
# W0048-T-008-012-L-S3	4.762	8.484	1.19					
# W0048-T-009-012-L-S6	4.762	8.6	1.20			316 Stainless	3/16, 10 (UNC/UNF)	ANSI B18.21.1
# W0048-T-009-012-L-S4-PK200	4.762	8.6	1.20			304 Stainless	3/16, 10 (UNC/UNF)	ANSI B18.21.1

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split - Stainless Steel

Part Number	Nom. ID	Outside Diameter	Thickness	Pack Size	Info	Info	Info	Info
# W0050-T-009-016-L-S4	5	8.8	1.60			304 Stainless	M5	DIN 7980
W0050-T-009-012-L-S4	5	9.2	1.20			304 Stainless	M5	DIN 127 B
W0050-T-009-012-L-S6	5	9.2	1.20			316 Stainless	M5	DIN 127 B
# W0055-T-010-014-L-S3	5.486	9.576	1.42					
W0060-T-010-016-L-S4	6	9.9	1.60			304 Stainless	M6	DIN 7980
# W0060-T-012-016-L-S4	6	11.8	1.60			304 Stainless	M6	DIN 127 B
W0060-T-012-016-L-S6	6	11.8	1.60			316 Stainless	M6	DIN 127 B
# W0064-T-012-016-L-S3	6.35	12.421	1.58					
# W0064-T-013-012-L-S4	6.35	12.5	1.20			304 Stainless	1/4 (UNC/UNF)	ANSI B18.21.1
# W0064-T-013-016-L-S4	6.35	12.5	1.60			304 Stainless	1/4 (UNC/UNF)	ANSI B18.21.1
W0064-T-013-016-L-S6	6.35	12.5	1.60			316 Stainless	1/4 (UNC/UNF)	ANSI B18.21.1
# W0070-T-015-020-L-S4	7	14.8	2.00			304 Stainless	M7	DIN 127 B
# W0079-T-013-020-L-S4	7.938	12.7	2.00			304 Stainless	M8, 5/16 (UNC/UNF)	DIN 7980
W0079-T-015-020-L-S4	7.938	14.8	2.00			304 Stainless	M8, 5/16 (UNC/UNF)	ANSI B18.21.1

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split - Stainless Steel

Part Number	Nom. ID	Outside Diameter	Thickness	Pack Size	Info	Info	Info	Info
# W0079-T-015-020-L-S6	7.938	14.8	2.00			316 Stainless	M8, 5/16 (UNC/UNF)	ANSI B18.21.1
# W0079-T-015-014-L-S4	7.938	15	1.40			304 Stainless	M8, 5/16 (UNC/UNF)	ANSI B18.21.1
W0080-T-015-020-L-S4	8	14.8	2.00			304 Stainless	M8, 5/16 (UNC/UNF)	DIN 127 B
# W0080-T-015-020-L-S6	8	14.8	2.00			316 Stainless	M8, 5/16 (UNC/UNF)	DIN 127 B
# W0080-T-015-020-L-S3	8	14.884	1.98					
# W0095-T-017-024-L-S3	9.525	17.348	2.39					
# W0095-T-018-018-L-S4	9.525	17.5	1.80			304 Stainless	3/8 (UNC/UNF)	ANSI B18.21.1
# W0095-T-018-024-L-S6	9.525	17.5	2.40			316 Stainless	3/8 (UNC/UNF)	ANSI B18.21.1
# W0095-T-018-024-L-S6U	9.525	17.5	2.40			316 Stainless	3/8 (UNC/UNF)	ANSI B18.21.1
W0095-T-018-024-L-S4	9.525	17.5	2.40			304 Stainless	3/8 (UNC/UNF)	ANSI B18.21.1
W0100-T-018-022-L-S4	10	18.1	2.20			304 Stainless	M10	DIN 127 B
# W0100-T-018-022-L-S6	10	18.1	2.20			316 Stainless	M10	DIN 127 B
# W0111-T-020-028-L-S4	11.11	19.787	2.77					

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split - Stainless Steel

Part Number	Nom. ID	Outside Diameter	Thickness	Pack Size	Info	Info	Info	Info
# W0111-T-020-028-L-S6	11.11	19.9	2.80			316 Stainless	7/16	ANSI B18.21.1
# W0111-T-020-000-L-S4	11.11	20.2				304 Stainless	7/16	ANSI B18.21.1
# W0111-T-020-000-L-S6	11.11	20.2				316 Stainless	7/16	ANSI B18.21.1
W0120-T-021-025-L-S4	12	21.1	2.50			304 Stainless	M12	DIN 127 B
# W0120-T-021-025-L-S6	12	21.1	2.50			316 Stainless	M12	DIN 127 B
# W0127-T-022-032-L-S3	12.7	22.174	3.18					
# W0127-T-022-032-L-S6	12.7	22.3	3.20			316 Stainless	1/2	ANSI B18.21.1
# W0127-T-022-032-L-S4	12.7	22.3	3.20			304 Stainless	1/2	ANSI B18.21.1
# W0140-T-024-029-L-S4	14	24.1	2.85			304 Stainless	M14	DIN 127 B
# W0140-T-024-029-L-S6	14	24.1	2.85			316 Stainless	M14	DIN 127 B
# W0140-T-025-036-L-S4	14	24.5	3.60			304 Stainless	14	ANSI B18.21.1
# W0140-T-025-036-L-S6	14	24.5	3.60			316 Stainless	14	ANSI B18.21.1
# W0159-T-028-040-L-S4	15.875	27.6	4.00			304 Stainless	M16, 5/8	ANSI B18.21.1
# W0159-T-028-040-L-S6	15.875	27.6	4.00			316 Stainless	M16, 5/8	ANSI B18.21.1

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split - Stainless Steel

Part Number	Nom. ID	Outside Diameter	Thickness	Pack Size	Info	Info	Info	Info
# W0160-T-027-035-L-S4	16	27.1	3.50			304 Stainless	M16, 5/8	DIN 127 B
# W0160-T-027-035-L-S6	16	27.1	3.50			316 Stainless	M16, 5/8	DIN 127 B
# W0160-T-027-040-L-S3	16	27.407	3.96					
# W0180-T-029-033-L-S4	18	29.4	3.30			304 Stainless	M18	DIN 127 B
# W0180-T-029-033-L-S6	18	29.4	3.30			316 Stainless	M18	DIN 127 B
# W0191-T-032-048-L-S3	19.05	32.283	4.78					
# W0191-T-033-048-L-S4	19.05	32.5	4.80			304 Stainless	3/4	ANSI B18.21.1
# W0191-T-033-048-L-S6	19.05	32.5	4.80			316 Stainless	3/4	ANSI B18.21.1
# W0200-T-034-040-L-S4	20	33.6	4.00			304 Stainless	M20	DIN 127 B
# W0200-T-034-040-L-S6	20	33.6	4.00			316 Stainless	M20	DIN 127 B
# W0220-T-036-038-L-S4	22	35.9	3.80			304 Stainless	M22	DIN 127 B
# W0220-T-036-038-L-S6	22	35.9	3.80			316 Stainless	M22	DIN 127 B
# W0222-T-037-056-L-S4	22.225	37.1	5.60			304 Stainless	7/8	ANSI B18.21.1
# W0222-T-037-056-L-S6	22.225	37.1	5.60			316 Stainless	7/8	ANSI B18.21.1

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split - Stainless Steel

Part Number	Nom. ID	Outside Diameter	Thickness	Pack Size	Info	Info	Info	Info
# W0240-T-040-048-L-S4	24	40	4.80			304 Stainless	M24	DIN 127 B
# W0240-T-040-048-L-S6	24	40	4.80			316 Stainless	M24	DIN 127 B
# W0254-T-042-064-L-S4	25.4	42.1	6.35			304 Stainless	1 inch	ANSI B18.21.1
# W0254-T-042-064-L-S6	25.4	42.1	6.35			316 Stainless	1 inch	ANSI B18.21.1
# W0270-T-044-050-L-S4	27	44	5.00			304 Stainless	M27	DIN 127 B
# W0270-T-044-050-L-S6	27	44	5.00			316 Stainless	M27	DIN 127 B
# W0286-T-047-071-L-S6	28.575	47.1	7.10			316 Stainless	1.1/8	ANSI B18.21.1
# W0286-T-047-071-L-S4	28.575	47.1	7.10			304 Stainless	1.1/8	ANSI B18.21.1
# W0300-T-048-058-L-S4	30	48.2	5.80			304 Stainless	M30	DIN 127 B
# W0300-T-048-058-L-S6	30	48.2	5.80			316 Stainless	M30	DIN 127 B
# W0318-T-052-079-L-S4	31.8	51.7	7.90			304 Stainless	1.1/4	ANSI B18.21.1
# W0318-T-052-079-L-S6	31.8	51.7	7.90			316 Stainless	1.1/4	ANSI B18.21.1
# W0330-T-055-060-L-S4	33	55.2	6.00			304 Stainless	M33	DIN 127 B
# W0330-T-055-060-L-S6	33	55.2	6.00			316 Stainless	M33	DIN 127 B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Washers - Lock - Split - Stainless Steel

Part Number	Nom. ID	Outside Diameter	Thickness	Pack Size	Info	Info	Info	Info
# W0360-T-058-060-L-S4	36	58.2	6.00			304 Stainless		DIN 127 B
# W0360-T-058-060-L-S6	36	58.2	6.00			316 Stainless		DIN 127 B
# W0380-T-061-095-L-S6	38	61.4	9.50			316 Stainless	1.1/2	ANSI B18.21.1
# W0380-T-061-095-L-S4	38	61.4	9.50			304 Stainless	1.1/2	ANSI B18.21.1

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

