



Wrench - Plunger

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Provides fast installation and removal of ball, spring and stubby spring plungers with slots at the spring loaded end. Prevents damage that can occur when a standard screwdriver is used by providing a recess for the tip whilst the body is being rotated.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Wrench - Plunger

Part Number	Suits Thread Size	Suits Thread Size	Suits Thread Size
# VW-48RS	6-32 UNC (3.5mm)	-	
# VW-50RS	8-32 UNC (4.166mm)	8-36 UNF (4.166mm)	
# VW-52RS	10-32 UNF (4.762mm)	M4.0x0.70 (4.0mm)	M5.0x0.80 (5.0mm)
# VW-54RS	1/4-20 UNC (6.35mm)	1/4-28 UNF (6.350mm)	M6.0x1.00 (6.0mm)
# VW-56RS	5/16-18 UNC (7.938mm)	M8.0x1.25 (8.0mm)	
# VW-58RS	3/8-16 UNC (9.525mm)	M10.0x1.50 (10.0mm)	
# VW-60RS	1/2-13 UNC (12.7mm)	M12.0x1.75 (12.0mm)	
# VW-62RS	5/8-11 UNC (15.875mm)	M16.0x2.00 (16.0mm)	
# VW-64RS	3/4-10 UNC (19.05mm)	M20.0x2.50 (20.0mm)	
# VW-66RS	1-8 UNC (25.4mm)	-	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

