



MBA

2018

High Precision Ball Bearings

High Precision and Super Precision ISO P5, ISO P4, ABEC 5, ABEC 7

Included in This Catalogue:

Flanged
Unflanged
Wide Inner Ring

Chrome Steel
440C Stainless Steel

P4, P5
Abec 5, Abec 7

Lubricant Options

Radial Clearance Options

All listed in order of size
with the type of bearing
shown next to the part
number.



Type the part number from this catalogue into the search box on any web page for delivery, stock levels and pricing.

Prefixes and Suffixes

S F W R133A - ZS - MC34 - GR7 - G58							
1	2	2	3	4	5	6 7	8

1 Bearing Material:

S: 440C Grade Stainless Steel
 No Prefix: AISI 52100 Chrome Steel

2 Configuration:

F: Flanged
 W: Wide Inner Ring
 FW: Flanged with Wide Inner Ring

3 Basic Bearing Number:

MRxxxx...: Usually indicates a metric bearing
 Rxxxx...: Usually indicates an inch sized bearing

4 Closures:

Z: Single Metal Shield
 ZS: Single Removable Metal Shield
 ZZ: Two Metal Shields
 ZZS: Two Removable Metal Shields

5 Internal Radial Clearance:

MC1: 0-5 um
 MC2: 3-8um
 MC3: 5-10um
 MC4: 8-13um
 MC5: 13-20um
 MC6: 20-28um
 MC34: 5-13um

Bearings with 10mm Bore or greater
 Use standard ISO scale C2, CN, C3, C4 and C5

6 Country of Origin:

j: Japan
 u: USA
 gr: Germany
 s: Switzerland
 E: Other European

7 Precision Grade:


5: Abec 5 7: Abec 7
 P5: ISO P5 P4: ISO P4

8 Lubrication:

Lxxx: Oil Lubrication
 Gxxx: Grease Lubrication

These are just some of the most commonly used suffixes. Please refer to MBA for information on suffixes not listed.

Diagrams



Only the most common diagrams are shown. Other types are also listed in this catalogue.

d	D	B	Bn	DF	BF	Part Number	Type
0.600 x 2.000 mm (0.024 x 0.079 in.)							
0.600	2.000	0.800				Open SMR2-060-J5	Bearings - Ball - High Precision - 440C Stainless Oil - Aeroshell Fluid 12 Precision: Abec 5
0.635 x 2.540 mm (0.025 x 0.100 in.)							
0.635	2.540	0.792				Open MR2.54-0.635-FC-MC3U7-L23	Bearings - Ball - High Precision - Chrome Steel Oil - Windsortube L245X Precision: Abec 7
1.000 x 3.000 mm (0.039 x 0.118 in.)							
1.000	3.000	1.000				Open S681-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
1.000	3.000	1.000				Open S681-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
1.016 x 3.175 mm (0.040 x 0.125 in.)							
1.016	3.175	1.191				Open SR09-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
1.016	3.175	1.191				Open SR09-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.016	3.175	1.191				Open SR09-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
1.016	3.175	1.191	4.343	0.330		Open SFR09-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
1.016	3.175	1.191	4.343	0.330		Open SFR09-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.016	3.175	1.191	4.343	0.330		Open SFR09-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
1.191 x 3.967 mm (0.047 x 0.156 in.)							
1.191	3.967	1.588				Open SR0-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.191	3.967	1.588				Open SR0-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.191	3.967	1.588				Open SR0-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.191	3.967	1.588				Open SR0-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.191	3.967	1.588				Open SR0-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
1.191	3.967	1.588				Open SR0-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
1.191	3.967	1.588				Open SR0-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.191	3.967	1.588				Open SR0-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.191	3.967	1.588	5.156	0.330		Open SFR0-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7



Stocked or Short Delivery (up to 4 weeks)



Usually 4-6 week delivery



Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
1.191 x 3.967 mm				<i>(0.047 x 0.156 in.)</i>			
1.191	3.967	1.588		5.156	0.330	Open SFR0-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.191	3.967	1.588		5.156	0.330	Open SFR0-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.191	3.967	1.588	2.381			Open SWR0-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.191	3.967	1.588	2.381			Open SWR0-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.191	3.967	1.588	2.381	5.156	0.330	Open SFWR0-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.191	3.967	1.588	2.381	5.156	0.330	Open SFWR0-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.191	3.967	2.381				Z SR0A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.191	3.967	2.381				Z SR0A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.191	3.967	2.381				Z SR0A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.191	3.967	2.381				Z SR0A-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.191	3.967	2.381				Z SR0A-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.191	3.967	2.381				Z SR0A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.191	3.967	2.381				ZZS SR0A-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.191	3.967	2.381				ZZS SR0A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.191	3.967	2.381				ZZS SR0A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.191	3.967	2.381				ZZS SR0A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.191	3.967	2.381				ZZS SR0A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.191	3.967	2.381				ZZS SR0A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.191	3.967	2.381				ZZS SR0A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.191	3.967	2.381				ZZS SR0A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.191	3.967	2.381		5.156	0.787	Z SFR0A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.191	3.967	2.381		5.156	0.787	Z SFR0A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.191	3.967	2.381		5.156	0.787	Z SFR0A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.191	3.967	2.381		5.156	0.787	Z SFR0A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.191	3.967	2.381		5.156	0.787	Z SFR0A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.191	3.967	2.381		5.156	0.787	Z SFR0A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
1.191 x 3.967 mm				<i>(0.047 x 0.156 in.)</i>			
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.191	3.967	2.381		5.156	0.787	ZZS SFR0A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.397 x 4.763 mm				<i>(0.055 x 0.188 in.)</i>			
1.397	4.763	1.984				Open SR1-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.397	4.763	1.984				Open SR1-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.397	4.763	1.984				Open SR1-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.397	4.763	1.984				Open SR1-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.397	4.763	1.984				Open SR1-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.397	4.763	1.984				Open SR1-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.397	4.763	1.984				Open SR1-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.397	4.763	1.984				Open SR1-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.397	4.763	1.984		5.944	0.584	Open SFR1-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.397	4.763	2.381				Z SR1A-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.397	4.763	2.381				Z SR1A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.397	4.763	2.381				Z SR1A-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
1.397 x 4.763 mm				<i>(0.055 x 0.188 in.)</i>			
1.397	4.763	2.381				Z SR1A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.397	4.763	2.381				Z SR1A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.397	4.763	2.381				Z SR1A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.397	4.763	2.779				FF SR1B-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.397	4.763	2.779				FF SR1B-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.397	4.763	2.779				ZZS SR1B-ZZS-C615-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.397	4.763	2.779				ZZS SR1B-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.397	4.763	2.779	5.944	0.787		FF SFR1B-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.397	4.763	2.779	5.944	0.787		FF SFR1B-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.397	4.763	2.779	5.944	0.787		Z SFR1B-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.397	4.763	2.779	5.944	0.787		ZZS SFR1B-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.397	4.763	2.779	5.944	0.787		ZZS SFR1B-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.397	4.763	2.779	5.944	0.787		ZZS SFR1B-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.397	4.763	2.779	5.944	0.787		ZZS SFR1B-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.397	4.763	2.779	5.944	0.787		ZZS SFR1B-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
1.397 x 4.763 mm							(0.055 x 0.188 in.)
1.397	4.763	2.779		5.944	0.787	ZZS SFR1B-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.397	4.763	2.779		5.944	0.787	ZZS SFR1B-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.397	4.763	2.779		5.944	0.787	ZZS SFR1B-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.397	4.763	2.779	3.571			ZZ SWR1B-ZZMC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - STANDARD Precision: Abec 5
1.500 x 4.000 mm							(0.059 x 0.157 in.)
1.500	4.000	1.200				Open S681X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.500	4.000	1.200				Open S681X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.500	4.000	1.200		5.000	0.400	Open SF681X-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.500	4.000	1.200		5.000	0.400	Open SF681X-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.500	4.000	2.000				ZZS S681XA-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.500	4.000	2.000				ZZS S681XA-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.500	4.000	2.000		5.000	0.600	ZZS SF681XA-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.500	4.000	2.000		5.000	0.600	ZZS SF681XA-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.500 x 5.000 mm							(0.059 x 0.197 in.)
1.500	5.000	2.000				FF S691X-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.500	5.000	2.000				FF S691X-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.500	5.000	2.000				Open S691X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.500	5.000	2.000				Open S691X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.500	5.000	2.000				ZZS S691X-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.500	5.000	2.000				ZZS S691X-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.500	5.000	2.000		6.500	0.600	Open SF691X-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
1.500	5.000	2.000		6.500	0.600	Open SF691X-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
1.500	5.000	2.000		6.500	0.600	ZZ SF691X-ZZMC3B7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
1.500	5.000	2.600				ZZ S691XA-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
1.500	5.000	2.600				ZZ S691XA-ZZMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
1.500	5.000	2.600		6.500	0.800	ZZ SF691XA-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
1.500	5.000	2.600		6.500	0.800	ZZ SF691XA-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks)



Usually 4-6 week delivery



Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
1.984 x 4.763 mm				(0.078 x 0.188 in.)			
1.984	4.763	2.381				ZZ SR1-3A-ZZMC3B5	Bearings - Ball - High Precision - 440C Stainless Precision: Abec 5
1.984 x 6.350 mm				(0.078 x 0.250 in.)			
1.984	6.350	1.588		7.518	0.457	Open SFR1-4C-MC3-L23U5	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Windsortube L245X Precision: Abec 5
1.984	6.350	2.381				Open SR1-4-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.984	6.350	2.381				Open SR1-4-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
1.984	6.350	2.381				Open SR1-4-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.984	6.350	2.381				Open SR1-4-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.984	6.350	2.381				Open SR1-4-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.984	6.350	2.381				Open SR1-4-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.984	6.350	2.381				Open SR1-4-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.984	6.350	2.381				Open SR1-4-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
1.984	6.350	2.381		7.518	0.457	ZZ SFR1-4UF0.457-ZZU5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / STANDARD Precision: Abec 5
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.984	6.350	2.381		7.518	0.584	Open SFR1-4-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.984	6.350	2.779				Z SR1-4A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.984	6.350	2.779				Z SR1-4A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.984	6.350	2.779				Z SR1-4A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.984	6.350	2.779				Z SR1-4A-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.984	6.350	2.779				Z SR1-4A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.984	6.350	2.779				Z SR1-4A-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
1.984 x 6.350 mm (0.078 x 0.250 in.)							
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.984	6.350	3.571				ZZS SR1-4B-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.984	6.350	3.571	7.518	0.787		FF SFR1-4B-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.984	6.350	3.571	7.518	0.787		FF SFR1-4B-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.984	6.350	3.571	7.518	0.787		Z SFR1-4B-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC3-GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
1.984	6.350	3.571	7.518	0.787		ZZS SFR1-4B-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.000 x 4.000 mm (0.079 x 0.157 in.)							
2.000	4.000	1.200				Open SMR42-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	4.000	1.200				Open SMR42-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.000 x 5.000 mm (0.079 x 0.197 in.)							
2.000	5.000	1.500				Open S682-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
2.000 x 5.000 mm (0.079 x 0.197 in.)							
2.000	5.000	1.500				Open S682-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	5.000	1.500				Open S682-MC3-J5-AF12	Bearings - Ball - High Precision - 440C Stainless Oil - Aeroshell Fluid 12 Precision: Abec 5
2.000	5.000	1.500	6.100	0.500		Open SF682-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	5.000	2.300				ZZS S682A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	5.000	2.300				ZZS S682A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.000	5.000	2.300	6.100	0.600		ZZS SF682A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	5.000	2.300	6.100	0.600		ZZS SF682A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.000 x 6.000 mm (0.079 x 0.236 in.)							
2.000	6.000	2.300				FF S692-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	6.000	2.300				FF S692-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.000	6.000	2.300				Open S692-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
2.000	6.000	2.300				Open S692-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.000	6.000	2.300				Open S692-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
2.000	6.000	2.300				Open S692-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	6.000	2.300				ZZS S692-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	6.000	2.300				ZZS S692-ZZS-MC3-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.000	6.000	2.300	7.500	0.600		FF SF692-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.000	6.000	2.300	7.500	0.600		FF SF692-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	6.000	2.300	7.500	0.600		Open SF692-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	6.000	2.300	7.500	0.600		Open SF692-MC34-GRP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
2.000	6.000	2.300	7.500	0.600		Open SF692-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.000	6.000	2.300	7.500	0.600		Open SF692-MC34-GRP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
2.000	6.000	2.300	7.500	0.600		ZZS SF692-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.000	6.000	2.300	7.500	0.600		ZZS SF692-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.000	6.000	3.000				ZZ S692A-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
2.000	6.000	3.000				ZZ S692A-ZZMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
2.000	6.000	3.000				ZZS S692A-ZZS-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5

Stocked or Short Delivery (up to 4 weeks)



Usually 4-6 week delivery



Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
2.000 x 6.000 mm (0.079 x 0.236 in.)							
2.000	6.000	3.000				ZZS S692A-ZZS-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
2.000	6.000	3.000		7.500	0.800	ZZS SF692A-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
2.000	6.000	3.000		7.500	0.800	ZZS SF692A-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
2.381 x 4.763 mm (0.094 x 0.188 in.)							
2.381	4.763	1.588				Open SR133-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	4.763	1.588				Open SR133-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	4.763	1.588				Open SR133-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	4.763	1.588				Open SR133-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	4.763	1.588				Open SR133-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	4.763	1.588				Open SR133-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	4.763	1.588				Open SR133-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	4.763	1.588				Open SR133-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	4.763	1.588		5.944	0.457	Open SFR133-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	4.763	1.588		5.944	0.457	Open SFR133-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	4.763	1.588		5.944	0.457	Open SFR133-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	4.763	1.588		5.944	0.457	Open SFR133-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	4.763	1.588		5.944	0.457	Open SFR133-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	4.763	1.588		5.944	0.457	Open SFR133-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	4.763	1.588		5.944	0.457	Open SFR133-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	4.763	1.588		5.944	0.457	Open SFR133-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	4.763	1.588		Not Specified	Not Specified	Open SFR133-FC-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	4.763	1.588	2.381			Open SWR133-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	4.763	1.588	2.381			Open SWR133-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	4.763	1.588	2.381	5.944	0.457	Open SFWR133-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	4.763	1.588	2.381	5.944	0.457	Open SFWR133-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
2.381 x 4.763 mm							
<i>(0.094 x 0.188 in.)</i>							
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	4.763	2.381				Z SR133A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	4.763	2.381				ZZS SR133A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	4.763	2.381				ZZS SR133A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	4.763	2.381				ZZS SR133A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	4.763	2.381				ZZS SR133A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	4.763	2.381				ZZS SR133A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	4.763	2.381	5.944	0.787		Z SFR133A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	4.763	2.381	5.944	0.787		ZZS SFR133A-ZZSGR5D78	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
2.381	4.763	2.381	3.175			ZZ WR133A-ZZMC3GR7	Bearings - Ball - WIR - High Precision - Chrome Steel Grease - Standard Precision: Abec 7
2.381	4.763	2.381	3.175			ZZ WR133A-ZZMC3GR5	Bearings - Ball - WIR - High Precision - Chrome Steel Grease - Standard Precision: Abec 5
2.381	4.763	2.381	3.175	5.944	0.787	ZZ SFWR133A-ZZMC3GR7	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Grease / Standard Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks)



Usually 4-6 week delivery



Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
2.381 x 4.763 mm (0.094 x 0.188 in.)							
2.381	4.763	2.381	3.175	5.944	0.787	ZZS SFWR133A-ZZS-MC3-GR5	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
2.381 x 6.350 mm (0.094 x 0.250 in.)							
2.381	6.350	2.381				ZZ SR143A-ZZMC3U5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
2.381	6.350	2.381		7.520	0.580	Open SFR143A-MC3BP4	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / STANDARD Precision: P4
2.381	6.350	2.779				ZZS SR143B-ZZS-MC3U5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
2.381	6.350	2.779		7.520	0.790	ZZ SFR143B-ZZMC3BP4	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / STANDARD Precision: P4
2.381 x 7.938 mm (0.094 x 0.313 in.)							
2.381	7.938	2.779				Open SR1-5-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	7.938	2.779				Open SR1-5-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	7.938	2.779				Open SR1-5-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	7.938	2.779				Open SR1-5-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	7.938	2.779				Open SR1-5-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	7.938	2.779				Open SR1-5-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	7.938	2.779				Open SR1-5-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	7.938	2.779				Open SR1-5-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	7.938	2.779				Z SR1-5-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	7.938	2.779				Z SR1-5-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	7.938	2.779				Z SR1-5-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	7.938	2.779				Z SR1-5-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	7.938	2.779				Z SR1-5-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	7.938	2.779				Z SR1-5-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	7.938	2.779		9.119	0.457	Open SFR1-5-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	7.938	2.779		9.119	0.584	Open SFR1-5-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
2.381 x 7.938 mm				<i>(0.094 x 0.313 in.)</i>			
2.381	7.938	2.779		9.119	0.584	Open SFR1-5-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	7.938	2.779	3.571			Open SWR1-5-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	7.938	2.779	3.571			Open SWR1-5-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	7.938	2.779	3.571	9.119	0.584	Open SFWR1-5-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	7.938	2.779	3.571	9.119	0.584	Open SFWR1-5-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	7.938	3.571				ZZS SR1-5A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	7.938	3.571				ZZS SR1-5A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	7.938	3.571				ZZS SR1-5A-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	7.938	3.571				ZZS SR1-5A-ZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	7.938	3.571				ZZS SR1-5A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	7.938	3.571				ZZS SR1-5A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	7.938	3.571				ZZS SR1-5A-ZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	7.938	3.571				ZZS SR1-5A-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	7.938	3.571		9.119	0.787	FF SFR1-5A-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.381	7.938	3.571		9.119	0.787	FF SFR1-5A-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	7.938	3.571		9.119	0.787	Z SFR1-5A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	7.938	3.571		9.119	0.787	Z SFR1-5A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	7.938	3.571		9.119	0.787	Z SFR1-5A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	7.938	3.571		9.119	0.787	Z SFR1-5A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	7.938	3.571		9.119	0.787	Z SFR1-5A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	7.938	3.571		9.119	0.787	Z SFR1-5A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
2.381 x 7.938 mm (0.094 x 0.313 in.)							
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.381	7.938	3.571		9.119	0.787	ZZS SFR1-5A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500 x 5.000 mm (0.098 x 0.197 in.)							
2.500	5.000	1.500				Open SMR5-2.5-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	5.000	1.500				Open SMR5-2.5-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500 x 6.000 mm (0.098 x 0.236 in.)							
2.500	6.000	1.800				Open S682X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	6.000	1.800				Open S682X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	6.000	1.800		7.100	0.500	Open SF682X-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	6.000	1.800		7.100	0.500	Open SF682X-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	6.000	2.600				ZZS S682XA-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	6.000	2.600				ZZS S682XA-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	6.000	2.600		7.100	0.800	ZZS SF682XA-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	6.000	2.600		7.100	0.800	ZZS SF682XA-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500 x 7.000 mm (0.098 x 0.276 in.)							
2.500	7.000	2.500				Open S692X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	7.000	2.500				Open S692X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	7.000	2.500				ZZS S692X-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	7.000	2.500				ZZS S692X-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	7.000	2.500		8.500	0.700	Open SF692X-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / STANDARD Precision: Abec 7
2.500	7.000	2.500		8.500	0.700	Open SF692X-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / STANDARD Precision: Abec 5
2.500	7.000	2.500		8.500	0.700	ZZ SF692X-ZZMC3B7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / STANDARD Precision: Abec 7
2.500	7.000	3.500				ZZ S692XA-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
2.500	7.000	3.500				ZZ S692XA-ZZMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
2.500	7.000	3.500		8.500	0.900	ZZ SF692XA-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
2.500	7.000	3.500		8.500	0.900	ZZ SF692XA-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
2.500	7.000	3.500		8.500	0.900	ZZS SF692XA-ZZS-MC3-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
2.500 x 8.000 mm				<i>(0.098 x 0.315 in.)</i>			
2.500	8.000	2.800				FF S602X-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	8.000	2.800				FF S602X-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	8.000	2.800				Open S602X-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
2.500	8.000	2.800				Open S602X-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
2.500	8.000	2.800				Open S602X-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	8.000	2.800				Open S602X-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	8.000	2.800	9.500	0.700		FF SF602X-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	8.000	2.800	9.500	0.700		FF SF602X-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	8.000	2.800	9.500	0.700		Open SF602X-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
2.500	8.000	2.800	9.500	0.700		Open SF602X-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
2.500	8.000	2.800	9.500	0.700		Open SF602X-MC3-AF12GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Aeroshell Fluid 12 Precision: Abec 5
2.500	8.000	4.000				ZZS S602XA-ZZS-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
2.500	8.000	4.000				ZZS S602XA-ZZS-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
2.500	8.000	4.000	9.500	0.900		ZZ SF602XA-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
2.500	8.000	4.000	9.500	0.900		ZZ SF602XA-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
2.500	8.000	4.000	9.500	0.900		ZZS SF602XA-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
2.500	8.000	4.000	9.500	0.900		ZZS SF602XA-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
3.000 x 6.000 mm				<i>(0.118 x 0.236 in.)</i>			
3.000	6.000	2.000				Open SMR63-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	6.000	2.000				Open SMR63-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
3.000	6.000	2.000				Open SMR63-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	6.000	2.000				Open SMR63-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
3.000	6.000	2.000	7.200	0.600		Open SFMR63-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
3.000	6.000	2.000	7.200	0.600		Open SFMR63-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
3.000	6.000	2.500				ZZS SMR63A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	6.000	2.500				ZZS SMR63A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	6.000	2.500				ZZS SMR63A-ZZS-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.000 x 6.000 mm (0.118 x 0.236 in.)							
3.000	6.000	2.500				ZZS SMR63A-ZZS-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
3.000	6.000	2.500		7.200	0.600	ZZS SFMR63A-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
3.000	6.000	2.500		7.200	0.600	ZZS SFMR63A-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
3.000 x 7.000 mm (0.118 x 0.276 in.)							
3.000	7.000	2.000				Open S683-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	7.000	2.000				Open S683-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	7.000	2.000		8.100	0.500	Open SF683-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	7.000	2.000		8.100	0.500	Open SF683-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	7.000	2.500	3.350 Extended One Side Only			ZZ SWA683B-TO-ZZ-C69-GR5	Bearings - Ball - WIR - High Precision - 440C Stainless Oil - STANDARD Precision: Abec 5
3.000	7.000	3.000				ZZS S683A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	7.000	3.000				ZZS S683A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	7.000	3.000		8.100	0.800	ZZS SF683A-ZZS-MC3-GR7-L23-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	7.000	3.000		8.100	0.800	ZZS SF683A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000 x 8.000 mm (0.118 x 0.315 in.)							
3.000	8.000	3.000				Open S693-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	8.000	3.000				Open S693-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
3.000	8.000	3.000				Open S693-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
3.000	8.000	3.000				Open S693-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	8.000	3.000				ZZS S693-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	8.000	3.000				ZZS S693-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	8.000	3.000		9.500	0.700	Open SF693-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	8.000	3.000		9.500	0.700	Open SF693-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	8.000	3.000		9.500	0.700	Open SF693-MC34-GRP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
3.000	8.000	3.000		9.500	0.700	Open SF693-MC34-GRP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
3.000	8.000	3.000		9.500	0.700	Open SF693-MC3-AF12GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Aeroshell Fluid 12 Precision: Abec 5
3.000	8.000	3.000		9.500	0.700	ZZS SF693-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.000 x 8.000 mm (0.118 x 0.315 in.)							
3.000	8.000	3.000		9.500	0.700	ZZS SF693-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	8.000	4.000				FF S693A-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	8.000	4.000				FF S693A-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	8.000	4.000				ZZS S693A-ZZS-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
3.000	8.000	4.000				ZZS S693A-ZZS-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
3.000	8.000	4.000		9.500	0.900	FF SF693A-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	8.000	4.000		9.500	0.900	FF SF693A-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	8.000	4.000		9.500	0.900	ZZ SF693A-ZZ-MC3-J5-AF12	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Aeroshell Fluid 12 Precision: Abec 5
3.000	8.000	4.000		9.500	0.900	ZZS SF693A-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
3.000	8.000	4.000		9.500	0.900	ZZS SF693A-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
3.000 x 10.000 mm (0.118 x 0.394 in.)							
3.000	10.000	4.000				FF S623-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.000	10.000	4.000				FF S623-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.000	10.000	4.000				Open S623-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	10.000	4.000				Open S623-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	10.000	4.000				ZZS S623-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.000	10.000	4.000				ZZS S623-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.000	10.000	4.000		11.500	1.000	FF SF623-FF-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.000	10.000	4.000		11.500	1.000	FF SF623-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.000	10.000	4.000		11.500	1.000	Open SF623-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.000	10.000	4.000		11.500	1.000	Open SF623-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.000	10.000	4.000		11.500	1.000	ZZS SF623-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.000	10.000	4.000		11.500	1.000	ZZS SF623-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175 x 5.537 mm (0.125 x 0.218 in.)							
3.175	5.537	2.381				Open SR13.54-C5-13-U7-AF12	Bearings - Ball - High Precision - 440C Stainless Oil - Aeroshell Fluid 12 Precision: Abec 7
3.175 x 6.350 mm (0.125 x 0.250 in.)							
3.175	6.350	1.588				Open SR144B-C5-13-U7-AF12	Bearings - Ball - High Precision - 440C Stainless Oil - Aeroshell Fluid 12 Precision: Abec 7
3.175	6.350	1.626				Open SR144B-C512-U7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks)



Usually 4-6 week delivery



Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 6.350 mm				(0.125 x 0.250 in.)			
3.175	6.350	2.381				Open SR144-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.175	6.350	2.381				Open SR144-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	6.350	2.381				Open SR144-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	6.350	2.381				Open SR144-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	6.350	2.381				Open SR144-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	6.350	2.381				Open SR144-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	6.350	2.381				Open SR144-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	6.350	2.381				Open SR144-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.175	6.350	2.381				Z SR144-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	6.350	2.381				Z SR144-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	6.350	2.381				Z SR144-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	6.350	2.381				Z SR144-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	6.350	2.381				Z SR144-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	6.350	2.381				Z SR144-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	6.350 / 5.979	2.381				Z SR144-D106-ZS	Bearings - Ball - High Precision - 440C Stainless Oil - Special Precision: Abec 7
3.175	6.350 / 5.979	2.381				Z SR144-D106-KC-ZS-OPT	Bearings - Ball - High Precision - 440C Stainless Oil - Special Precision: Abec 7
3.175	6.350	2.381				ZZS SR144-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.175	6.350	2.381				ZZS SR144-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.175	6.350	2.381	7.518	0.584		Open SFR144-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	6.350	2.381	7.518	0.584		Open SFR144-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.175	6.350	2.381	7.518	0.584		Open SFR144-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.175	6.350	2.381	7.518	0.584		Open SFR144-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	6.350	2.381	7.518	0.584		Open SFR144-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	6.350	2.381	7.518	0.584		Open SFR144-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	6.350	2.381	7.518	0.584		Open SFR144-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	6.350	2.381	7.518	0.584		Open SFR144-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 6.350 mm				(0.125 x 0.250 in.)			
3.175	6.350	2.381		7.518	0.584	ZS SFR144-D28-ZSO	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil - Special Precision: Abec 7
3.175	6.350	2.381	3.175			Open SWR144-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.175	6.350	2.381	3.175			Open SWR144-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.175	6.350 / 5.979	2.779				ZS SR144A-D107-ZS-CMP	Bearings - Ball - High Precision - 440C Stainless Oil - Undisclosed Precision: Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	6.350	2.779				ZZS SR144A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	6.350	2.779				ZZS SR144A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.175	6.350	2.779		7.518	0.400	ZS SFR144A-D29N-ZSO	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / STANDARD Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	Open SFR144A-D94	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	Open SFR144A-D96	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	6.350	2.779		7.518	0.787	Z SFR144A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	6.350	2.779		7.518	0.787	ZS SFR144A-D27-ZSO	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil - Special Precision: Abec 7 - ISC Dental Special
3.175	6.350	2.779		7.518	0.787	ZS SFR144A-D27-T9H-ZSO-OPT	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil - Special Precision: Abec 7 - Optimyn Germany Dental Special
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-C615-GR7-DRY	Bearings - Ball - Flanged - High Precision - 440C Stainless Dry / No Lubricant Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-C615-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Windsorlube L245X Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 6.350 mm (0.125 x 0.250 in.)							
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC3-J5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Windsorlube L245X Precision: Abec 5
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	6.350	2.779		7.518	0.787	ZZS SFR144A-D27-ZZS	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Standard Precision: Abec 7
3.175	6.350	2.779	3.571			ZZS SWR144A-ZZS-MC3-GR5-G48	Bearings - Ball - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175	6.350	2.779	3.571	7.518	0.787	ZZS SFWR144A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.175	6.350	2.779	3.571	7.518	0.787	ZZS SFWR144A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.175 x 7.000 mm (0.125 x 0.276 in.)							
3.175	7.000	2.000				Open SMR7-318-TO-MC3-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175 x 7.938 mm (0.125 x 0.313 in.)							
3.175	7.938	2.779				Open SR2-5-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.175	7.938	2.779				Open SR2-5-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	7.938	2.779				Open SR2-5-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	7.938	2.779				Open SR2-5-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	7.938	2.779				Open SR2-5-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.175	7.938	2.779				Open SR2-5-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	7.938	2.779				Open SR2-5-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	7.938	2.779				Open SR2-5-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	7.938	2.779				Z SR2-5-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type	
3.175 x 7.938 mm				(0.125 x 0.313 in.)				
3.175	7.938	2.779				ZZ SR2-5-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7	
3.175	7.938	2.779				ZZS SR2-5-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7	
3.175	7.938	2.779				ZZS SR2-5-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5	
3.175	7.938	2.779	9.119	0.584	Open	SFR2-5-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5	
3.175	7.938	2.779	9.119	0.584	Open	SFR2-5-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7	
3.175	7.938	2.779	9.119	0.584	Open	SFR2-5-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5	
3.175	7.938	2.779	9.119	0.584	Open	SFR2-5-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7	
3.175	7.938	2.779	9.119	0.584	Open	SFR2-5-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7	
3.175	7.938	2.779	9.119	0.584	Open	SFR2-5-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5	
3.175	7.938	2.779	9.119	0.584	Open	SFR2-5-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7	
3.175	7.938	2.779	9.119	0.584	Open	SFR2-5-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5	
3.175	7.938	2.779	3.571		Open	SWR2-5-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5	
3.175	7.938	2.779	3.571		Open	SWR2-5-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7	
3.175	7.938	2.779	3.571	9.119	0.584	Open	SFWR2-5-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.175	7.938	2.779	3.571	9.119	0.584	Open	SFWR2-5-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.175	7.938	3.571				FF SR2-5A-FF-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7	
3.175	7.938	3.571				FF SR2-5A-FF-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5	
3.175	7.938	3.571				FF SR2-5A-FFMC5GR5-L23	Bearings - Ball - High Precision - 440C Stainless Oil - Windsorlube L245X Precision: Abec 5	
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5	
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5	
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7	
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5	
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7	
3.175	7.938	3.571				ZZS SR2-5A-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7	
3.175	7.938	3.571	9.119	0.787	FF	SFR2-5A-FF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7	
3.175	7.938	3.571	9.119	0.787	FF	SFR2-5A-FF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5	
3.175	7.938	3.571	9.119	0.787	Z	SFR2-5A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7	

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 7.938 mm				<i>(0.125 x 0.313 in.)</i>			
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	7.938	3.571		9.119	0.787	Z SFR2-5A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	7.938	3.571		9.119	0.787	ZZS SFR2-5A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.175 x 9.525 mm				<i>(0.125 x 0.375 in.)</i>			
3.175	9.525	2.779				Open SR2-6-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	2.779				Open SR2-6-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	2.779				Open SR2-6-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	2.779				Open SR2-6-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	2.779				Open SR2-6-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	2.779				Open SR2-6-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	2.779				Z SR2-6-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	2.779				ZZS SR2-6-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 9.525 mm				<i>(0.125 x 0.375 in.)</i>			
3.175	9.525	2.779				ZZS SR2-6-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175	9.525	2.779	10.719	0.584	Open	SFR2-6-MC34-U7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	2.779	10.719	0.584	Open	SFR2-6-MC34-U5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	2.779	10.719	0.584	Open	SFR2-6-MC34-U5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	2.779	10.719	0.584	Open	SFR2-6-MC34-U7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	2.779	10.719	0.584	Open	SFR2-6-MC34-U7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	2.779	10.719	0.584	Open	SFR2-6-MC34-U5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	2.779	10.719	0.584	Open	SFR2-6-MC3B7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
3.175	9.525	2.779	10.719	0.584	Open	SFR2-6-MC3B5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
3.175	9.525	3.571				FF SR2-6A-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175	9.525	3.571				FF SR2-6A-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.175	9.525	3.571				ZZS SR2-6A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.175	9.525	3.571				ZZS SR2-6A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	3.571				ZZS SR2-6A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	3.571				ZZS SR2-6A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	3.571				ZZS SR2-6A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	3.571				ZZS SR2-6A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	3.571				ZZS SR2-6A-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	3.571				ZZS SR2-6A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175	9.525	3.571	10.719	0.787	Z	SFR2-6A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	3.571	10.719	0.787	Z	SFR2-6A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	3.571	10.719	0.787	Z	SFR2-6A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	3.571	10.719	0.787	Z	SFR2-6A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	3.571	10.719	0.787	Z	SFR2-6A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	3.571	10.719	0.787	Z	SFR2-6A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	3.571	10.719	0.787	ZZ	SFR2-6A-ZZMC5GR7-1275D-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Windsorlube L245X Precision: Abec 7
3.175	9.525	3.571	10.719	0.787	ZZS	SFR2-6A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 9.525 mm				<i>(0.125 x 0.375 in.)</i>			
3.175	9.525	3.571		10.719	0.787	ZZS SFR2-6A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	3.571		10.719	0.787	ZZS SFR2-6A-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	3.571		10.719	0.787	ZZS SFR2-6A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	3.571		10.719	0.787	ZZS SFR2-6A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	3.571		10.719	0.787	ZZS SFR2-6A-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	3.969				FF SR2-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175	9.525	3.969				FF SR2-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.175	9.525	3.969				FF SR2-FFMC5GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
3.175	9.525	3.969				FF SR2-FFMC6GR5-L23-J312-COC	Bearings - Ball - High Precision - 440C Stainless Oil - Windsortube L245X Precision: Abec 5
3.175	9.525	3.969				FF SR2-FFMC3GR7-L23	Bearings - Ball - High Precision - 440C Stainless Oil - Windsortube L245X Precision: Abec 7
3.175	9.525	3.969				Open SR2-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
3.175	9.525	3.969				Open SR2-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	3.969				Open SR2-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	3.969				Open SR2-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	3.969				Open SR2-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
3.175	9.525	3.969				Open SR2-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	3.969				Open SR2-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	3.969				Open SR2-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	3.969				Z SR2-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	3.969				Z SR2-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	3.969				Z SR2-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	3.969				Z SR2-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	3.969				Z SR2-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	3.969				Z SR2-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 9.525 mm				<i>(0.125 x 0.375 in.)</i>			
3.175	9.525	3.969				ZZS SR2-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	3.969				ZZS SR2-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	3.969	11.176	0.762		FF SFR2-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175	9.525	3.969	11.176	0.762		FF SFR2-FF-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.175	9.525	3.969	11.176	0.762		FF SFR2-FFMC5GR7-L23-1475D	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Windsortube L245X Precision: Abec 7
3.175	9.525	3.969	11.176	0.762	Open	SFR2-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	3.969	11.176	0.762	Open	SFR2-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
3.175	9.525	3.969	11.176	0.762	Open	SFR2-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	3.969	11.176	0.762	Open	SFR2-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	3.969	11.176	0.762	Open	SFR2-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	3.969	11.176	0.762	Open	SFR2-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	3.969	11.176	0.762	Open	SFR2-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
3.175	9.525	3.969	11.176	0.762	Open	SFR2-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	3.969	11.176	0.762		Z SFR2-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	3.969	11.176	0.762		ZZ SFR2-ZZMC5GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
3.175	9.525	3.969	11.176	0.762		ZZS SFR2-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	9.525	3.969	11.176	0.762		ZZS SFR2-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Windsortube L245X Precision: Abec 5
3.175	9.525	3.969	11.176	0.762		ZZS SFR2-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	9.525	3.969	11.176	0.762		ZZS SFR2-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 9.525 mm				<i>(0.125 x 0.375 in.)</i>			
3.175	9.525	3.969		11.176	0.762	ZZS SFR2-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	9.525	3.969		11.176	0.762	ZZS SFR2-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	9.525	3.969		11.176	0.762	ZZS SFR2-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	9.525	3.969	4.762			Open SWR2-MC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
3.175	9.525	3.969	4.762			Open SWR2-MC3GR7	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
3.175	9.525	3.969	4.762			ZZ SWR2-ZZMC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
3.175	9.525	3.969	4.762			ZZ SWR2-ZZMC3GR7	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
3.175 x 10.414 mm				<i>(0.125 x 0.410 in.)</i>			
3.175	10.414	2.381				ZZS SMR104-032-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.175	10.414	2.381				ZZS SMR104-032-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175	10.414	2.779				ZZS SMR104-032A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.175	10.414	2.779				ZZS SMR104-032A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175 x 10.795 mm				<i>(0.125 x 0.425 in.)</i>			
3.175	10.795	2.779				ZZS SMR108-032-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
3.175	10.795	2.779				ZZS SMR108-032-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
3.175 x 12.700 mm				<i>(0.125 x 0.500 in.)</i>			
3.175	12.700	4.366				Open SR2-8A-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	12.700	4.366				Open SR2-8A-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	12.700	4.366				Open SR2-8A-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	12.700	4.366				Open SR2-8A-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	12.700	4.366				Open SR2-8A-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	12.700	4.366				Open SR2-8A-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	12.700	4.366				Open SR2-8A-MC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
3.175	12.700	4.366				Open SR2-8A-MC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
3.175	12.700	4.366				Z SR2-8A-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	12.700	4.366				Z SR2-8A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	12.700	4.366				Z SR2-8A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	12.700	4.366				Z SR2-8A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7



Stocked or Short Delivery (up to 4 weeks)



Usually 4-6 week delivery



Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.175 x 12.700 mm				<i>(0.125 x 0.500 in.)</i>			
3.175	12.700	4.366				Z SR2-8A-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	12.700	4.366				Z SR2-8A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.175	12.700	4.366				ZZ SR2-8A-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
3.175	12.700	4.366				ZZ SR2-8A-ZZMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
3.175	12.700	4.366				ZZS SR2-8A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.175	12.700	4.366				ZZS SR2-8A-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.175	12.700	4.366				ZZS SR2-8A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.175	12.700	4.366				ZZS SR2-8A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.175	12.700	4.366				ZZS SR2-8A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.175	12.700	4.366				ZZS SR2-8A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.969 x 7.938 mm				<i>(0.156 x 0.313 in.)</i>			
3.969	7.938	2.779				Open SR155-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.969	7.938	2.779				Open SR155-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.969	7.938	2.779				Open SR155-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.969	7.938	2.779				Open SR155-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.969	7.938	2.779				Open SR155-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.969	7.938	2.779				Open SR155-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.969	7.938	2.779				Open SR155-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.969	7.938	2.779				Open SR155-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.969	7.938	2.779				Z SR155-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.969	7.938	2.779				Z SR155-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.969	7.938	2.779				Z SR155-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.969	7.938	2.779				Z SR155-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.969	7.938	2.779				Z SR155-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.969	7.938	2.779				Z SR155-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.969 x 7.938 mm				<i>(0.156 x 0.313 in.)</i>			
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.969	7.938	2.779		9.119	0.584	Open SFR155-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.969	7.938	2.779	3.571			Open SWR155-MC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - STANDARD Precision: Abec 5
3.969	7.938	2.779	3.571			Open SWR155-MC3GR7	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - STANDARD Precision: Abec 7
3.969	7.938	2.779	3.571	9.119	0.584	Open SFWR155-MC3GR5	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Grease / STANDARD Precision: Abec 5
3.969	7.938	2.779	3.571	9.119	0.584	Open SFWR155-MC3GR7	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Grease / STANDARD Precision: Abec 7
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.969	7.938	3.175				ZZS SR155A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.969	7.938	3.175				ZZS SR155A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.969	7.938	3.175				ZZS SR155A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
3.969	7.938	3.175		9.119	0.914	Z SFR155A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
3.969 x 7.938 mm				<i>(0.156 x 0.313 in.)</i>			
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
3.969	7.938	3.175		9.119	0.914	ZZS SFR155A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.969	7.938	3.175	3.969	9.119	0.914	ZZS SFWR155A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
3.969	7.938	3.175	3.969	9.119	0.914	ZZS SFWR155A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.000 x 7.000 mm				<i>(0.157 x 0.276 in.)</i>			
4.000	7.000	2.000				Open SMR74-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.000	7.000	2.000				Open SMR74-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.000	7.000	2.000				Z SMR74-T4HB-MC3-ZS-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.000	7.000	2.500				ZZS SMR74A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.000	7.000	2.500				ZZS SMR74A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.000 x 8.000 mm				<i>(0.157 x 0.315 in.)</i>			
4.000	8.000	2.000				Open SMR84-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	8.000	2.000				Open SMR84-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	8.000	2.000				Open MR84-MC2JP5	Bearings - Ball - High Precision - Chrome Steel Grease - STANDARD Precision: P5
4.000	8.000	2.000		9.200	0.600	Open SFMR84-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	8.000	2.000		9.200	0.600	Open SFMR84-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	8.000	3.000				Open MR84A-MC3JP5-AF12	Bearings - Ball - High Precision - Chrome Steel Oil - Aeroshell Fluid 12 Precision: P5
4.000	8.000	3.000				ZZS SMR84A-ZZS-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	8.000	3.000				ZZS SMR84A-ZZS-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	8.000	3.000		9.200	0.600	ZZS SFMR84A-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	8.000	3.000		9.200	0.600	ZZS SFMR84A-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000 x 9.000 mm				<i>(0.157 x 0.354 in.)</i>			
4.000	9.000	2.500				Open S684-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.000	9.000	2.500				Open S684-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.000	9.000	2.500		10.300	0.600	Open SF684-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
4.000 x 9.000 mm (0.157 x 0.354 in.)							
4.000	9.000	2.500		10.300	0.600	Open SF684-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.000	9.000	4.000				ZZS S684A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000	9.000	4.000				ZZS S684A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.000	9.000	4.000		10.300	1.000	ZZS SF684A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.000	9.000	4.000		10.300	1.000	ZZS SF684A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000 x 10.000 mm (0.157 x 0.394 in.)							
4.000	10.000	3.000				Open SMR104-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	10.000	3.000				Open SMR104-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	10.000	3.000		11.200	0.600	Open SFMR104-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	10.000	3.000		11.200	0.600	Open SFMR104-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	10.000	4.000				FF SMR104A-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000	10.000	4.000				FF SMR104A-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.000	10.000	4.000				ZZ MR104A-ZZMC2JP5	Bearings - Ball - High Precision - Chrome Steel Grease - STANDARD Precision: P5
4.000	10.000	4.000				ZZS SMR104A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.000	10.000	4.000				ZZS SMR104A-ZZS-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	10.000	4.000				ZZS SMR104A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000	10.000	4.000				ZZS SMR104A-ZZS-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	10.000	4.000		11.500	1.000	FF SFMR104AUF-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000	10.000	4.000		11.500	1.000	FF SFMR104AUF-FF-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.000	10.000	4.000		11.500	1.000	ZZS SFMR104AUF-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.000	10.000	4.000		11.500	1.000	ZZS SFMR104AUF-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000	10.000	4.000		11.600	0.800	ZZS SFMR104A-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	10.000	4.000		11.600	0.800	ZZS SFMR104A-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000 x 11.000 mm (0.157 x 0.433 in.)							
4.000	11.000	4.000				Open S694-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.000	11.000	4.000				Open S694-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.000	11.000	4.000				ZZS S694-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000	11.000	4.000				ZZS S694-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
4.000 x 11.000 mm (0.157 x 0.433 in.)							
4.000	11.000	4.000		12.500	1.000	Open SF694-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
4.000	11.000	4.000		12.500	1.000	Open SF694-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
4.000	11.000	4.000		12.500	1.000	ZZ SF694-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
4.000	11.000	4.000		12.500	1.000	ZZ SF694-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
4.000	11.000	4.000		12.500	1.000	ZZS SF694-ZZS-MC3-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.000 x 12.000 mm (0.157 x 0.472 in.)							
4.000	12.000	4.000				ZZ S604-ZZMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
4.000	12.000	4.000				ZZ S604-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
4.000	12.000	4.000				ZZ 604-ZZMC3GR7	Bearings - Ball - High Precision - Chrome Steel Grease - Standard Precision: Abec 7
4.000	12.000	4.000				ZZ 604-ZZMC3GR5	Bearings - Ball - High Precision - Chrome Steel Grease - Standard Precision: Abec 5
4.000	12.000	4.000		13.500	1.000	Open SF604-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
4.000	12.000	4.000		13.500	1.000	Open SF604-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
4.000	12.000	4.000		13.500	1.000	ZZ SF604-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
4.000	12.000	4.000		13.500	1.000	ZZ SF604-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
4.000 x 13.000 mm (0.157 x 0.512 in.)							
4.000	13.000	5.000				FF S624-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000	13.000	5.000				FF S624-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.000	13.000	5.000				Open S624-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	13.000	5.000				Open S624-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	13.000	5.000				Open S624-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
4.000	13.000	5.000				Open S624-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
4.000	13.000	5.000				ZZS S624-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.000	13.000	5.000				ZZS S624-ZZS-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	13.000	5.000				ZZS S624-ZZS-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	13.000	5.000				ZZS S624-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000	13.000	5.000		15.000	1.000	Open SF624-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	13.000	5.000		15.000	1.000	Open SF624-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000	13.000	5.000		15.000	1.000	Open SF624-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
4.000 x 13.000 mm (0.157 x 0.512 in.)							
4.000	13.000	5.000		15.000	1.000	Open SF624-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
4.000	13.000	5.000		15.000	1.000	ZZ SF624-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Beacon 325 Precision: Abec 5
4.000	13.000	5.000		15.000	1.000	ZZS SF624-ZZS-MC3-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.000	13.000	5.000		15.000	1.000	ZZS SF624-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
4.000	13.000	5.000		15.000	1.000	ZZS SF624-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
4.000 x 16.000 mm (0.157 x 0.630 in.)							
4.000	16.000	5.000				Open S634-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorube L245X Oil Precision: Abec 7
4.000	16.000	5.000				Open S634-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorube L245X Oil Precision: Abec 5
4.000	16.000	5.000				ZZS S634-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.000	16.000	5.000				ZZS S634-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.000	16.000	5.000	18.000	1.000		Open SF634-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
4.000	16.000	5.000	18.000	1.000		Open SF634-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
4.000	16.000	5.000	18.000	1.000		ZZ SF634-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
4.000	16.000	5.000	18.000	1.000		ZZ SF634-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
4.000	16.000	5.000	18.000	1.000		ZZS SF634-ZZS-MC3-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.757 x 12.700 mm (0.187 x 0.500 in.)							
4.757	12.700	3.969				Open SR3-UB-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.757	12.700	4.978	14.351	1.067		Open SFR3C-UB-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763 x 7.938 mm (0.188 x 0.313 in.)							
4.763	7.938	2.779				Open SR156-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	7.938	2.779				Open SR156-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	7.938	2.779				Open SR156-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorube L245X Oil Precision: Abec 7
4.763	7.938	2.779				Open SR156-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	7.938	2.779				Open SR156-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	7.938	2.779				Open SR156-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	7.938	2.779				Open SR156-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorube L245X Oil Precision: Abec 5
4.763	7.938	2.779				Open SR156-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	7.938	2.779				Z SR156-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 7.938 mm				<i>(0.188 x 0.313 in.)</i>			
4.763	7.938	2.779				Z SR156-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	7.938	2.779				Z SR156-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	7.938	2.779				Z SR156-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	7.938	2.779				Z SR156-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	7.938	2.779				Z SR156-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	7.938	2.779	9.119	0.584	Open	SFR156-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	7.938	2.779	9.119	0.584	Open	SFR156-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	7.938	2.779	9.119	0.584	Open	SFR156-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.763	7.938	2.779	9.119	0.584	Open	SFR156-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	7.938	2.779	9.119	0.584	Open	SFR156-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.763	7.938	2.779	9.119	0.584	Open	SFR156-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	7.938	2.779	9.119	0.584	Open	SFR156-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	7.938	2.779	9.119	0.584	Open	SFR156-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	7.938	3.175				ZZS SR156A-ZZS-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	7.938	3.175				ZZS SR156A-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	7.938	3.175				ZZS SR156A-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.763	7.938	3.175	9.119	0.914		Z SFR156A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	7.938	3.175	9.119	0.914		Z SFR156A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	7.938	3.175	9.119	0.914		Z SFR156A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	7.938	3.175	9.119	0.914		Z SFR156A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	7.938	3.175	9.119	0.914		Z SFR156A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	7.938	3.175	9.119	0.914		Z SFR156A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 7.938 mm			<i>(0.188 x 0.313 in.)</i>				
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	7.938	3.175		9.119	0.914	ZZS SFR156A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.763	7.938	3.175	3.969	9.119	0.914	ZZS SFWR156A-ZZS-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.763	7.938	3.175	3.969	9.119	0.914	ZZS SFWR156A-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.763 x 9.525 mm			<i>(0.188 x 0.375 in.)</i>				
4.763	9.525	2.779				Open SR166A-MC5-12-GR7	Bearings - Ball - High Precision - 440C Stainless Oil - MIL-L-6085A Precision: Abec 7
4.763	9.525	2.779				Open SR166A-C5-13-U7-AF12	Bearings - Ball - High Precision - 440C Stainless Oil - Aeroshell Fluid 12 Precision: Abec 7
4.763	9.525	2.779				ZZS SR166A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.763	9.525	2.779				ZZS SR166A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.763	9.525	3.175				Open SR166-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	9.525	3.175				Open SR166-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	9.525	3.175				Open SR166-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.763	9.525	3.175				Open SR166-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	9.525	3.175				Open SR166-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	9.525	3.175				Open SR166-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.763	9.525	3.175				Open SR166-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	9.525	3.175				Open SR166-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	9.525	3.175				Z SR166-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	9.525	3.175				Z SR166-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	9.525	3.175				Z SR166-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	9.525	3.175				Z SR166-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 9.525 mm				<i>(0.188 x 0.375 in.)</i>			
4.763	9.525	3.175				Z SR166-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	9.525	3.175				Z SR166-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	9.525	3.175				Z SR166-Z-C210GR5-L23-COC	Bearings - Ball - High Precision - 440C Stainless Oil - Windsortube L245X Precision: Abec 5
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	9.525	3.175				ZZS SR166-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	9.525	3.175				ZZS SR166-ZZS-C210-GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	9.525	3.175	10.719	0.584	Open	SFR166UF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	9.525	3.175	10.719	0.787	Z	SFR166-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	9.525	3.175	10.719	0.787	ZS	SFR166-KB-ZSMC5GR7-J260	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Standard Precision: Abec 7
4.763	9.525	3.175	10.719	0.787	ZZS	SFR166-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	9.525	3.175	10.719	0.787	ZZS	SFR166-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 9.525 mm				<i>(0.188 x 0.375 in.)</i>			
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-C615-GR7-DRY	Bearings - Ball - Flanged - High Precision - 440C Stainless Dry / No Lubricant Precision: Abec 7
4.763	9.525	3.175		10.719	0.787	ZZS SFR166-ZZS-MC3-GR7-OLPD2	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Optimol Longtime PD2 Precision: Abec 7
4.763	9.525	3.175	3.969			ZZS SWR166-ZZS-MC3-GR5-G48	Bearings - Ball - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.763	9.525	3.175	3.969	10.719	0.584	Open SFWR166UF-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.763	9.525	3.175	3.969	10.719	0.584	Open SFWR166UF-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.763	9.525	3.175	3.969	10.719	0.787	ZZS SFWR166-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.763	9.525	3.175	3.969	10.719	0.787	ZZS SFWR166-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.763 x 10.414 mm				<i>(0.188 x 0.410 in.)</i>			
4.763	10.414	2.779				ZZS SMR10.4144.762-ZZSMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
4.763	10.414	2.779				ZZS SMR10.4144.762-ZZSMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
4.763 x 12.700 mm				<i>(0.188 x 0.500 in.)</i>			
4.763	12.700	2.779				ZZ SR3B-ZZMC5GR7-L21-18150D	Bearings - Ball - High Precision - 440C Stainless Oil - Anderol L401D Precision: Abec 7
4.763	12.700	2.779				ZZS SR3B-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.763	12.700	2.779				ZZS SR3B-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.763	12.700	3.969				Open SR3-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	12.700	3.969				Open SR3-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	12.700	3.969				Open SR3-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	12.700	3.969				Open SR3-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.763	12.700	3.969				Open SR3-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.763	12.700	3.969				Open SR3-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	12.700	3.969				Open SR3-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	12.700	3.969				Open SR3-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	12.700	3.969				Z SR3-Z-MC5GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7



Stocked or Short Delivery (up to 4 weeks)



Usually 4-6 week delivery



Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 12.700 mm				<i>(0.188 x 0.500 in.)</i>			
4.763	12.700	3.969				ZZS SR3-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.763	12.700	3.969				ZZS SR3-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	12.700	4.978				Z SR3C-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	12.700	4.978				ZZS SR3C-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	12.700	4.978				ZZS SR3C-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	12.700	4.978				ZZS SR3C-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.763	12.700	4.978				ZZS SR3C-ZZSMC5GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
4.763	12.700	4.978				ZZS SR3C-ZZSMC5GR5-G42	Bearings - Ball - High Precision - 440C Stainless Grease - Krytox 240 AC Precision: Abec 5
4.763	12.700	4.978	14.351	1.067		FF SFR3C-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	12.700	4.978	14.351	1.067	Open	SFR3C-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
4.763 x 12.700 mm			<i>(0.188 x 0.500 in.)</i>				
4.763	12.700	4.978		14.351	1.067	Open SFR3C-F-MC5GR5-G5-COC	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Beacon 325 Precision: Abec 5
4.763	12.700	4.978		14.351	1.067	Z SFR3C-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	12.700	4.978		14.351	1.067	Z SFR3C-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	12.700	4.978		14.351	1.067	Z SFR3C-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	12.700	4.978		14.351	1.067	Z SFR3C-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	12.700	4.978		14.351	1.067	Z SFR3C-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	12.700	4.978		14.351	1.067	Z SFR3C-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	12.700	4.978		14.351	1.067	ZZS SFR3C-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
4.763	12.700	4.978		14.351	1.067	ZZS SFR3C-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
4.763	12.700	4.978		14.351	1.067	ZZS SFR3C-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
4.763	12.700	4.978		14.351	1.067	ZZS SFR3C-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
4.763	12.700	4.978		14.351	1.067	ZZS SFR3C-ZZS-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Windsorlube L245X Precision: Abec 5
4.763	12.700	4.978		14.351	1.067	ZZS SFR3C-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
4.763	12.700	4.978		14.351	1.067	ZZS SFR3C-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
4.763	12.700	4.978	5.771			ZZ SWR3C-ZZMC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
4.763	12.700	4.978	5.771			ZZ SWR3C-ZZMC3GR7	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
4.763 x 19.050 mm			<i>(0.188 x 0.750 in.)</i>				
4.763	19.050	4.978				ZZ SR1126-ZZ-C613U5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
5.000 x 8.000 mm			<i>(0.197 x 0.315 in.)</i>				
5.000	8.000	2.000				Open SMR85-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
5.000	8.000	2.000				Open SMR85-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
5.000	8.000	2.000				Open SMR85-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
5.000	8.000	2.000				Open SMR85-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
5.000	8.000	2.500				ZZS SMR85A-ZZS-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
5.000	8.000	2.500				ZZS SMR85A-ZZS-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
5.000	8.000	2.500	9.200	0.600		ZZS SFMR85A-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
5.000	8.000	2.500	9.200	0.600		ZZS SFMR85A-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
5.000	8.000	3.000				ZZS SMR85C-ZZS-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
5.000 x 10.000 mm (0.197 x 0.394 in.)							
5.000	10.000	3.000				Open MR105-MC2JP5	Bearings - Ball - High Precision - Chrome Steel Grease - STANDARD Precision: P5
5.000 x 11.000 mm (0.197 x 0.433 in.)							
5.000	11.000	3.000				Open S685-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
5.000	11.000	3.000				Open S685-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
5.000	11.000	3.000	12.500	0.800		Open SF685-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
5.000	11.000	3.000	12.500	0.800		Open SF685-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
5.000	11.000	5.000				ZZS S685A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
5.000	11.000	5.000				ZZS S685A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
5.000	11.000	5.000	12.500	1.000		ZZS SF685A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
5.000	11.000	5.000	12.500	1.000		ZZS SF685A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
5.000 x 13.000 mm (0.197 x 0.512 in.)							
5.000	13.000	4.000				Open S695-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
5.000	13.000	4.000				Open S695-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
5.000	13.000	4.000				Open S695-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
5.000	13.000	4.000				Open S695-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
5.000	13.000	4.000				ZZS S695-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
5.000	13.000	4.000				ZZS S695-ZZS-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
5.000	13.000	4.000				ZZS S695-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
5.000	13.000	4.000				ZZS S695-ZZS-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
5.000	13.000	4.000	15.000	1.000		Open SF695-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
5.000	13.000	4.000	15.000	1.000		Open SF695-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
5.000	13.000	4.000	15.000	1.000		Open SF695-MC34-GRP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
5.000	13.000	4.000	15.000	1.000		Open SF695-MC34-GRP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
5.000	13.000	4.000	15.000	1.000		ZZS SF695-ZZS-MC34-GRP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
5.000	13.000	4.000	15.000	1.000		ZZS SF695-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
5.000	13.000	4.000	15.000	1.000		ZZS SF695-ZZS-MC34-GRP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
5.000	13.000	4.000	15.000	1.000		ZZS SF695-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
5.000 x 16.000 mm (0.197 x 0.630 in.)							
5.000	16.000	5.000				Open S625-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
5.000	16.000	5.000				Open S625-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
5.000	16.000	5.000				ZZS S625-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
5.000	16.000	5.000				ZZS S625-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
5.000	16.000	5.000	18.000	1.000		Open SF625-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
5.000	16.000	5.000	18.000	1.000		Open SF625-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
5.000	16.000	5.000	18.000	1.000		ZZ SF625-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
5.000	16.000	5.000	18.000	1.000		ZZ SF625-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
5.000	16.000	5.000	18.000	1.000		ZZS SF625-ZZS-MC3-GR5-L0-GPR	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
5.000 x 19.000 mm (0.197 x 0.748 in.)							
5.000	19.000	6.000				Open S635-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
5.000	19.000	6.000				Open S635-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
5.000	19.000	6.000				ZZS S635-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
5.000	19.000	6.000	22.000	1.500		Open SF635-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
5.000	19.000	6.000	22.000	1.500		Open SF635-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
5.000	19.000	6.000	22.000	1.500		ZZ SF635-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
5.000	19.000	6.000	22.000	1.500		ZZ SF635-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
6.000 x 10.000 mm (0.236 x 0.394 in.)							
6.000	10.000	2.500				Open SMR106-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
6.000	10.000	2.500				Open SMR106-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
6.000	10.000	2.500				Open SMR106-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
6.000	10.000	2.500				Open SMR106-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
6.000	10.000	2.500	11.200	0.600		Open SFMR106-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
6.000	10.000	2.500	11.200	0.600		Open SFMR106-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
6.000	10.000	3.000				ZZS SMR106A-ZZS-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
6.000	10.000	3.000				ZZS SMR106A-ZZS-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
6.000	10.000	3.000				ZZS SMR106A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.000	10.000	3.000				ZZS SMR106A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
6.000 x 10.000 mm (0.236 x 0.394 in.)							
6.000	10.000	3.000	11.200	0.600	ZZS	SFMR106A-ZZS-MC34-GRP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
6.000	10.000	3.000	11.200	0.600	ZZS	SFMR106A-ZZS-MC34-GRP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
6.000 x 13.000 mm (0.236 x 0.512 in.)							
6.000	13.000	3.500			Open	S686-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
6.000	13.000	3.500			Open	S686-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
6.000	13.000	3.500			Open	S686-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
6.000	13.000	3.500			Open	S686-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
6.000	13.000	3.500	14.500	0.700	Open	SF686UF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
6.000	13.000	3.500	14.500	0.700	Open	SF686UF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
6.000	13.000	3.500	15.000	1.000	Open	SF686-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
6.000	13.000	3.500	15.000	1.000	Open	SF686-MC34-GRP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
6.000	13.000	3.500	15.000	1.000	Open	SF686-MC34-GRP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
6.000	13.000	3.500	15.000	1.000	Open	SF686-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
6.000	13.000	5.000				ZZ S686B-ZZ-MC3-J5-L0	Bearings - Ball - High Precision - 440C Stainless Oil - Aeroshell Fluid 12 Precision: Abec 5
6.000	13.000	5.000				ZZS S686B-ZZS-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
6.000	13.000	5.000				ZZS S686B-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.000	13.000	5.000				ZZS S686B-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.000	13.000	5.000				ZZS S686B-ZZS-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
6.000	13.000	5.000	15.000	1.100	ZZS	SF686B-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.000	13.000	5.000	15.000	1.100	ZZS	SF686B-ZZS-MC34-GRP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
6.000	13.000	5.000	15.000	1.100	ZZS	SF686B-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.000	13.000	5.000	15.000	1.100	ZZS	SF686B-ZZS-MC34-GRP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
6.000 x 15.000 mm (0.236 x 0.591 in.)							
6.000	15.000	5.000			Open	S696-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
6.000	15.000	5.000			Open	S696-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
6.000	15.000	5.000				ZZS S696-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.000	15.000	5.000				ZZS S696-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.000	15.000	5.000	17.000	1.200	Open	SF696-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
6.000 x 15.000 mm (0.236 x 0.591 in.)							
6.000	15.000	5.000		17.000	1.200	Open SF696-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
6.000	15.000	5.000		17.000	1.200	ZZ SF696-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
6.000	15.000	5.000		17.000	1.200	ZZ SF696-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
6.000 x 19.000 mm (0.236 x 0.748 in.)							
6.000	19.000	6.000				Open S626-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
6.000	19.000	6.000				Open S626-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
6.000	19.000	6.000				ZZS S626-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.000	19.000	6.000				ZZS S626-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.000	19.000	6.000	22.000	1.500		Open SF626-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
6.000	19.000	6.000	22.000	1.500		Open SF626-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
6.000	19.000	6.000	22.000	1.500		ZZ SF626-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
6.000	19.000	6.000	22.000	1.500		ZZ SF626-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
6.345 x 15.875 mm (0.250 x 0.625 in.)							
6.345	15.875	4.978				Open SR4UB-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.345	15.875	4.978	17.526	1.067		Open SFR4UB-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350 x 9.525 mm (0.250 x 0.375 in.)							
6.350	9.525	3.175				Open SR168-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	9.525	3.175				Open SR168-MC34-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
6.350	9.525	3.175				Open SR168-MC34-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
6.350	9.525	3.175				Open SR168-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	9.525	3.175				Open SR168-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	9.525	3.175				Open SR168-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	9.525	3.175				Open SR168-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	9.525	3.175				Open SR168-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	9.525	3.175				Z SR168-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	9.525	3.175				Z SR168-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	9.525	3.175				Z SR168-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	9.525	3.175				Z SR168-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7



Stocked or Short Delivery (up to 4 weeks)



Usually 4-6 week delivery



Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 9.525 mm				<i>(0.250 x 0.375 in.)</i>			
6.350	9.525	3.175				Z SR168-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	9.525	3.175				Z SR168-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	9.525	3.175				ZZS SR168-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.350	9.525	3.175				ZZS SR168-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	9.525	3.175				ZZS SR168-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	9.525	3.175	10.719	0.584	Open	SFR168UF-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	9.525	3.175	10.719	0.914	Z	SFR168-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	9.525	3.175	10.719	0.914	Z	SFR168-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	9.525	3.175	10.719	0.914	Z	SFR168-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	9.525	3.175	10.719	0.914	Z	SFR168-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	9.525	3.175	10.719	0.914	Z	SFR168-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	9.525	3.175	10.719	0.914	Z	SFR168-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	9.525	3.175	10.719	0.914	ZZS	SFR168-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	9.525	3.175	10.719	0.914	ZZS	SFR168-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	9.525	3.175	10.719	0.914	ZZS	SFR168-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 9.525 mm				<i>(0.250 x 0.375 in.)</i>			
6.350	9.525	3.175		10.719	0.914	ZZS SFR168-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.350	9.525	3.175		10.719	0.914	ZZS SFR168-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	9.525	3.175		10.719	0.914	ZZS SFR168-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	9.525	3.175		10.719	0.914	ZZS SFR168-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	9.525	3.175		10.719	0.914	ZZS SFR168-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	9.525	3.175	3.969			Open SWR168-MC3-GR5-G48	Bearings - Ball - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.350	9.525	3.175	3.969			ZZS SWR168-ZZS-MC3-GR7-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
6.350	9.525	3.175	3.969			ZZS SWR168-ZZS-MC3-GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
6.350	9.525	3.175	3.969	10.719	0.584	Open SFWR168UF-MC3-GR5-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
6.350	9.525	3.175	3.969	10.719	0.584	Open SFWR168UF-MC3-GR7-L23	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
6.350	9.525	3.175	3.969	10.719	0.914	ZZS SFWR168-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.350	9.525	3.175	3.969	10.719	0.914	ZZS SFWR168-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.350	9.525	3.175	3.969	10.719	0.914	ZZS SFWR168-ZZSMC3GR7-G84	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Grease / Asonic GHY 72 (Kluber) Precision: Abec 7
6.350 x 12.700 mm				<i>(0.250 x 0.500 in.)</i>			
6.350	12.700	3.175				Open SR188-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	12.700	3.175				Open SR188-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	12.700	3.175				Open SR188-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	12.700	3.175				Open SR188-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	12.700	3.175				Open SR188-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	12.700	3.175				Open SR188-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	12.700	3.175				Open SR188-MC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
6.350	12.700	3.175				Z SR188-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	12.700	3.175				Z SR188-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	12.700	3.175				Z SR188-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	12.700	3.175				Z SR188-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	12.700	3.175				Z SR188-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	12.700	3.175				Z SR188-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type	
6.350 x 12.700 mm			<i>(0.250 x 0.500 in.)</i>					
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5	
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7	
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7	
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7	
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5	
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7	
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5	
6.350	12.700	3.175	13.894	0.584	Open	SFR188-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5	
6.350	12.700	3.969				ZZ SR188C-ZZS-MC3-B7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7	
6.350	12.700	4.762				ZZ SR188A-ZZMC3GR7-1475D	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7	
6.350	12.700	4.762				ZZ SR188A-ZZMC3-G84GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Asonic GHY 72 (Kluber) Precision: Abec 7	
6.350	12.700	4.762				ZZ SR188A-ZZMC5GR5-L23	Bearings - Ball - High Precision - 440C Stainless Oil - Windsorlube L245X Precision: Abec 5	
6.350	12.700	4.762				ZZ SR188A-ZZMC5GR7-L23	Bearings - Ball - High Precision - 440C Stainless Oil - Windsorlube L245X Precision: Abec 7	
6.350	12.700	4.762				ZZS SR188A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7	
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7	
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7	
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7	
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5	
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5	
6.350	12.700	4.762				ZZS SR188A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5	
6.350	12.700	4.762				ZZS SR188A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5	
6.350	12.700	4.762	13.894	1.143	TTS	SFR188A-TTSMC3GR5-MY-AV2	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Shell Alvania 2 Precision: Abec 5	
6.350	12.700	4.762	13.894	1.143	Z	SFR188A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7	
6.350	12.700	4.762	13.894	1.143	Z	SFR188A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7	
6.350	12.700	4.762	13.894	1.143	Z	SFR188A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5	
6.350	12.700	4.762	13.894	1.143	Z	SFR188A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5	
6.350	12.700	4.762	13.894	1.143	Z	SFR188A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5	

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 12.700 mm			<i>(0.250 x 0.500 in.)</i>				
6.350	12.700	4.762		13.894	1.143	Z SFR188A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	12.700	4.762		13.894	1.143	ZZ SFR188A-ZZMC3GR5-G47	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Aeroshell Grease 15A Precision: Abec 5
6.350	12.700	4.762		13.894	1.143	ZZS SFR188A-ZZS-C1220-GR7-L2	Bearings - Ball - Flanged - High Precision - 440C Stainless Oil / Anderol L401D Precision: Abec 7
6.350	12.700	4.762		13.894	1.143	ZZS SFR188A-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	12.700	4.762		13.894	1.143	ZZS SFR188A-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	12.700	4.762		13.894	1.143	ZZS SFR188A-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	12.700	4.762		13.894	1.143	ZZS SFR188A-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	12.700	4.762		13.894	1.143	ZZS SFR188A-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	12.700	4.762		13.894	1.143	ZZS SFR188A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.350	12.700	4.762		13.894	1.143	ZZS SFR188A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.350	12.700	4.762		13.894	1.143	ZZS SFR188A-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	12.700	4.762	5.556			ZZ SWR188A-ZZMC5GR5-L23	Bearings - Ball - WIR - High Precision - 440C Stainless Oil - Windsortube L245X Precision: Abec 5
6.350	12.700	4.762	5.556			ZZS SWR188A-ZZS-MC3-GR7-G48	Bearings - Ball - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.350	12.700	4.762	5.556			ZZS SWR188A-ZZS-MC3-GR5-G48	Bearings - Ball - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.350	12.700	4.762	5.556	13.894	1.143	ZZS SFWR188A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.350	12.700	4.762	5.556	13.894	1.143	ZZS SFWR188A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - WIR - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.350 x 15.875 mm			<i>(0.250 x 0.625 in.)</i>				
6.350	15.875	4.978				FF SR4-FF-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.350	15.875	4.978				FF SR4-FF-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.350	15.875	4.978				Open SR4-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	15.875	4.978				Open SR4-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	15.875	4.978				Open SR4-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
6.350	15.875	4.978				Open SR4-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	15.875	4.978				Open SR4-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
6.350	15.875	4.978				Open SR4-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	15.875	4.978				Open SR4-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	15.875	4.978				Open SR4-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 15.875 mm						<i>(0.250 x 0.625 in.)</i>	
6.350	15.875	4.978				Z SR4-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	15.875	4.978				Z SR4-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	15.875	4.978				Z SR4-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	15.875	4.978				Z SR4-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	15.875	4.978				Z SR4-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	15.875	4.978				Z SR4-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	15.875	4.978				ZZS SR4-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	15.875	4.978				ZZS SR4-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.350	15.875	4.978				ZZS SR4-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	15.875	4.978				ZZS SR4-ZZSMC4GR7-L23DISP4-60400D	Bearings - Ball - High Precision - 440C Stainless Oil - Windsortube L245X Precision: Abec 7
6.350	15.875	4.978				ZZS SR4-ZZSMC5GR7-40400D-S1-J113	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
6.350	15.875	4.978				ZZS SR4-ZZSMC4GR7-L23-60400D-COC	Bearings - Ball - High Precision - 440C Stainless Oil - Windsortube L245X Precision: Abec 7
6.350	15.875	4.978				ZZS SR4-ZZS-C1015-GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
6.350	15.875	4.978	17.526	1.067		FF SFR4-FF-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
6.350	15.875	4.978	17.526	1.067		FF SFR4-FF-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
6.350	15.875	4.978	17.526	1.067		FF SFR4-FFMC3-G84GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Asonic GHY 72 (Kluber) Precision: Abec 5
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 7
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsortube L245X Oil Precision: Abec 5
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	15.875	4.978	17.526	1.067	Open	SFR4-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
6.350 x 15.875 mm (0.250 x 0.625 in.)							
6.350	15.875	4.978		17.526	1.067	Open SFR4-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	15.875	4.978		17.526	1.067	Open SFR4-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	15.875	4.978		17.526	1.067	Open SFR4-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	15.875	4.978		17.526	1.067	Z SFR4-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	15.875	4.978		17.526	1.067	Z SFR4-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	15.875	4.978		17.526	1.067	Z SFR4-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	15.875	4.978		17.526	1.067	Z SFR4-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	15.875	4.978		17.526	1.067	Z SFR4-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	15.875	4.978		17.526	1.067	Z SFR4-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	15.875	4.978		17.526	1.067	ZZ SFR4-ZZMC3GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Beacon 325 Precision: Abec 7
6.350	15.875	4.978		17.526	1.067	ZZS SFR4-ZZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
6.350	15.875	4.978		17.526	1.067	ZZS SFR4-ZZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
6.350	15.875	4.978		17.526	1.067	ZZS SFR4-ZZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
6.350	15.875	4.978		17.526	1.067	ZZS SFR4-ZZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
6.350	15.875	4.978		17.526	1.067	ZZS SFR4-ZZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
6.350	15.875	4.978		17.526	1.067	ZZS SFR4-ZZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
6.350	15.875	4.978	5.771			ZZ SWR4-ZZMC3GR7	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
6.350	15.875	4.978	5.771			ZZ SWR4-ZZMC3GR5	Bearings - Ball - WIR - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
6.350 x 19.050 mm (0.250 x 0.750 in.)							
6.350	19.050	4.978				ZZS SR4-12C-ZZS-MC3U5	Bearings - Ball - High Precision - 440C Stainless Oil - Anderol L401D Precision: Abec 5
6.350	19.050	7.142				ZZS SR4-12B-ZZS-MC5-U5-L23	Bearings - Ball - High Precision - 440C Stainless Oil - Windsorube L245X Precision: Abec 5
6.350 x 22.060 mm (0.250 x 0.869 in.)							
6.350	22.06	4.978				ZZ SMR22.06-6.35-ZZMC3U5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
7.000 x 11.000 mm (0.276 x 0.433 in.)							
7.000	11.000	2.500				Open SMR117-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorube L245X Oil Precision: Abec 7
7.000	11.000	2.500				Open SMR117-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorube L245X Oil Precision: Abec 5
7.000	11.000	3.000				ZZS SMR117A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
7.000	11.000	3.000				ZZS SMR117A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
7.000 x 13.000 mm (0.276 x 0.512 in.)							
7.000	13.000	3.000				Open SMR137-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
7.000	13.000	3.000				Open SMR137-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
7.000	13.000	3.000	14.200	0.600		Open SFMR137-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
7.000	13.000	3.000	14.200	0.600		Open SFMR137-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
7.000	13.000	4.000				ZZS SMR137A-ZZS-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
7.000	13.000	4.000				ZZS SMR137A-ZZS-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
7.000	13.000	4.000	14.600	0.800		ZZS SFMR137A-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
7.000	13.000	4.000	14.600	0.800		ZZS SFMR137A-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
7.000 x 14.000 mm (0.276 x 0.551 in.)							
7.000	14.000	3.500				Open S687-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
7.000	14.000	3.500				Open S687-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
7.000	14.000	3.500	16.000	1.000		Open SF687-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
7.000	14.000	3.500	16.000	1.000		Open SF687-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
7.000	14.000	5.000				ZZS S687A-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
7.000	14.000	5.000				ZZS S687A-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
7.000	14.000	5.000	16.000	1.100		ZZS SF687A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
7.000	14.000	5.000	16.000	1.100		ZZS SF687A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
7.000 x 15.000 mm (0.276 x 0.591 in.)							
7.000	15.000	5.000				Open SMR157-MC3GR5-G5	Bearings - Ball - High Precision - 440C Stainless Grease - STANDARD Precision: Abec 5
7.000 x 17.000 mm (0.276 x 0.669 in.)							
7.000	17.000	5.000				Open S697-MC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
7.000	17.000	5.000				Open S697-MC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
7.000	17.000	5.000				ZZ S697-ZZMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
7.000	17.000	5.000				ZZ S697-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
7.000	17.000	5.000	19.000	1.200		Open SF697-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
7.000	17.000	5.000	19.000	1.200		Open SF697-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
7.000	17.000	5.000	19.000	1.200		ZZ SF697-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
7.000	17.000	5.000	19.000	1.200		ZZ SF697-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
7.000 x 19.000 mm (0.276 x 0.748 in.)							
7.000	19.000	6.000				Open S607-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
7.000	19.000	6.000				Open S607-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
7.000	19.000	6.000				ZZS S607-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
7.000	19.000	6.000				ZZS S607-ZZS-MC3-GR7-G340-GPR	Bearings - Ball - High Precision - 440C Stainless - Precision: Abec 7
7.000	19.000	6.000	22.000	1.500		Open SF607-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
7.000	19.000	6.000	22.000	1.500		Open SF607-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
7.000	19.000	6.000	22.000	1.500		ZZ SF607-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
7.000	19.000	6.000	22.000	1.500		ZZ SF607-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
7.000 x 22.000 mm (0.276 x 0.866 in.)							
7.000	22.000	7.000				Open S627-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
7.000	22.000	7.000				Open S627-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
7.000	22.000	7.000				ZZS S627-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
7.000	22.000	7.000				ZZS S627-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
7.000	22.000	7.000	25.000	1.500		Open SF627-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
7.000	22.000	7.000	25.000	1.500		Open SF627-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
7.000	22.000	7.000	25.000	1.500		ZZ SF627-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
7.000	22.000	7.000	25.000	1.500		ZZ SF627-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
7.000	22.000	10.300				ZZ S627B-KB-ZZMC3B7	Bearings - Ball - High Precision - 440C Stainless Precision: Abec 7
7.938 x 12.700 mm (0.313 x 0.500 in.)							
7.938	12.700	3.969				Open SR1810-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
7.938	12.700	3.969				Open SR1810-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
7.938	12.700	3.969				Z SR1810-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
7.938 x 12.700 mm (0.313 x 0.500 in.)							
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
7.938	12.700	3.969				ZZS SR1810-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
7.938	12.700	3.969	13.894	0.787	Open	SFR1810-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
7.938	12.700	3.969	13.894	0.787	Z	SFR1810-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
7.938	12.700	3.969	13.894	0.787	Z	SFR1810-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
7.938	12.700	3.969	13.894	0.787	Z	SFR1810-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
7.938	12.700	3.969	13.894	0.787	Z	SFR1810-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
7.938	12.700	3.969	13.894	0.787	Z	SFR1810-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
7.938	12.700	3.969	13.894	0.787	Z	SFR1810-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
7.938	12.700	3.969	13.894	0.787	ZZS	SFR1810-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
7.938	12.700	3.969	13.894	0.787	ZZS	SFR1810-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
7.938 x 15.875 mm (0.313 x 0.625 in.)							
7.938	15.875	6.000				ZZ SR11010A-ZZMC3	Bearings - Ball - High Precision - 440C Stainless Oil - STANDARD Precision: Abec 5
7.938	15.875	7.500				ZZ SR11010B-ZZMC3	Bearings - Ball - High Precision - 440C Stainless Oil - STANDARD Precision: Abec 5
8.000 x 12.000 mm (0.315 x 0.472 in.)							
8.000	12.000	2.500			Open	SMR128-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
8.000	12.000	2.500			Open	SMR128-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
8.000 x 14.000 mm (0.315 x 0.551 in.)							
8.000	14.000	4.000				ZZ MR148A-ZZMC2JP5	Bearings - Ball - High Precision - Chrome Steel Grease - STANDARD Precision: P5
8.000 x 16.000 mm (0.315 x 0.630 in.)							
8.000	16.000	4.000				Open S688-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
8.000	16.000	4.000				Open S688-MC34-GRP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
8.000	16.000	4.000				Open S688-MC34-GRP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
8.000	16.000	4.000				Open S688-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
8.000	16.000	4.000	18.000	1.000		Open SF688-MC3-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
8.000	16.000	4.000	18.000	1.000		Open SF688-MC3-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
8.000	16.000	4.000	18.000	1.000		Open SF688-MC34-GRP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
8.000	16.000	4.000	18.000	1.000		Open SF688-MC34-GRP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
8.000	16.000	5.000				ZZ S688A-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
8.000	16.000	5.000				ZZS S688A-ZZS-MC34-UP4-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
8.000	16.000	5.000				ZZS S688A-ZZS-MC34-UP5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
8.000	16.000	5.000	18.000	1.100		ZZS SF688A-ZZS-MC34-UP5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P5
8.000	16.000	5.000	18.000	1.100		ZZS SF688A-ZZS-MC34-UP4-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: P4
8.000	16.000	6.000				ZZS S688B-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
8.000	16.000	6.000				ZZS S688B-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
8.000	16.000	6.000	18.000	1.300		ZZS SF688B-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
8.000	16.000	6.000	18.000	1.300		ZZS SF688B-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
8.000 x 19.000 mm (0.315 x 0.748 in.)							
8.000	19.000	6.000				Open S698-MC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
8.000	19.000	6.000				Open S698-MC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
8.000	19.000	6.000				ZZ S698-ZZMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
8.000	19.000	6.000				ZZ S698-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
8.000	19.000	6.000	22.000	1.500		Open SF698-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
8.000	19.000	6.000	22.000	1.500		Open SF698-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
8.000	19.000	6.000	22.000	1.500		ZZ SF698-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
8.000	19.000	6.000	22.000	1.500		ZZ SF698-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks)
 Usually 4-6 week delivery
 Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
8.000 x 22.000 mm (0.315 x 0.866 in.)							
8.000	22.000	7.000				Open S608-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
8.000	22.000	7.000				Open S608-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
8.000	22.000	7.000				ZZS S608-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
8.000	22.000	7.000				ZZS S608-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
8.000	22.000	7.000	25.000	1.500		Open SF608-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
8.000	22.000	7.000	25.000	1.500		Open SF608-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
8.000	22.000	7.000	25.000	1.500		ZZ SF608-ZZMC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
8.000	22.000	7.000	25.000	1.500		ZZ SF608-ZZMC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
8.000	22.000	8.000				FF 608A-FFMC3GR5-G48	Bearings - Ball - High Precision - Chrome Steel Grease - Standard Precision: Abec 5
8.000	22.000	8.000				FF 608A-FFMC3GR7	Bearings - Ball - High Precision - Chrome Steel Grease - Standard Precision: Abec 7
9.000 x 14.000 mm (0.354 x 0.551 in.)							
9.000	14.000	3.000				Open SMR149-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
9.000	14.000	3.000				Open SMR149-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
9.000 x 17.000 mm (0.354 x 0.669 in.)							
9.000	17.000	4.000				Open S689-MC3-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
9.000	17.000	4.000				Open S689-MC3-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
9.000	17.000	4.000	19.000	1.000		Open SF689-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
9.000	17.000	4.000	19.000	1.000		Open SF689-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
9.000	17.000	6.000				ZZS S689B-ZZS-MC3-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
9.000	17.000	6.000				ZZS S689B-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
9.000	17.000	6.000	19.000	1.300		ZZS SF689B-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
9.000	17.000	6.000	19.000	1.300		ZZS SF689B-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
9.000 x 20.000 mm (0.354 x 0.787 in.)							
9.000	20.000	6.000				Open S699-MC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
9.000	20.000	6.000				Open S699-MC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
9.000	20.000	6.000				ZZ S699-ZZMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
9.000	20.000	6.000				ZZ S699-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
9.000 x 24.000 mm (0.354 x 0.945 in.)							
9.000	24.000	7.000				Open S609-MC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
9.000	24.000	7.000				Open S609-MC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
9.000	24.000	7.000				ZZ S609-ZZMC3GR7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
9.000	24.000	7.000				ZZ S609-ZZMC3GR5	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 5
9.000 x 26.000 mm (0.354 x 1.024 in.)							
9.000	26.000	8.000				ZZ 629-ZZMC2JP5	Bearings - Ball - High Precision - Chrome Steel Grease - STANDARD Precision: P5
9.525 x 15.875 mm (0.375 x 0.625 in.)							
9.525	15.875	4.978				ZZS SR11012B-KC-ZZS-MC3U7	Bearings - Ball - High Precision - 440C Stainless Grease - Standard Precision: Abec 7
9.525 x 22.225 mm (0.375 x 0.875 in.)							
9.525	22.225	5.556				ZZS SR6-ZZS-MC3-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
9.525	22.225	5.556				ZZS SR6-ZZS-MC3-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Grease - Beacon 325 Precision: Abec 5
9.525	22.225	5.556	24.613	1.575		Open SFR6-MC3GR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
9.525	22.225	5.556	24.613	1.575		Open SFR6-MC3GR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
9.525	22.225	7.142				Z SR6A-ZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
9.525	22.225	7.142				Z SR6A-ZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
9.525	22.225	7.142				Z SR6A-ZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
9.525	22.225	7.142				Z SR6A-ZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
9.525	22.225	7.142				Z SR6A-ZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
9.525	22.225	7.142				Z SR6A-ZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
9.525	22.225	7.142				ZZS SR6A-ZZS-MC34-GR7-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
9.525	22.225	7.142				ZZS SR6A-ZZS-MC34-GR5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
9.525	22.225	7.142				ZZS SR6A-ZZS-MC34-GR5-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
9.525	22.225	7.142				ZZS SR6A-ZZS-MC34-GR7-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
9.525	22.225	7.142				ZZS SR6A-ZZS-MC34-GR5-G58	Bearings - Ball - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
9.525	22.225	7.142				ZZS SR6A-ZZS-MC34-GR7-L0	Bearings - Ball - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
9.525	22.225	7.142	24.613	1.575		Open SFR6A-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
9.525	22.225	7.142	24.613	1.575		Open SFR6A-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
9.525	22.225	7.142	24.613	1.575		Open SFR6A-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
9.525 x 22.225 mm (0.375 x 0.875 in.)							
9.525	22.225	7.142		24.613	1.575	Open SFR6A-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
9.525	22.225	7.142		24.613	1.575	Open SFR6A-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
9.525	22.225	7.142		24.613	1.575	Open SFR6A-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
9.525	22.225	7.142		24.613	1.575	Z SFR6A-ZS-MC34-GR7-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 7
9.525	22.225	7.142		24.613	1.575	Z SFR6A-ZS-MC34-GR7-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 7
9.525	22.225	7.142		24.613	1.575	Z SFR6A-ZS-MC34-GR7-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 7
9.525	22.225	7.142		24.613	1.575	Z SFR6A-ZS-MC34-GR5-G5	Bearings - Ball - Flanged - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
9.525	22.225	7.142		24.613	1.575	Z SFR6A-ZS-MC34-GR5-G58	Bearings - Ball - Flanged - High Precision - 440C Stainless Kluber Isoflex LDS 18 Special A Grease Precision: Abec 5
9.525	22.225	7.142		24.613	1.575	Z SFR6A-ZS-MC34-GR5-L0	Bearings - Ball - Flanged - High Precision - 440C Stainless Aeroshell Fluid 12 - AF12 Oil Precision: Abec 5
9.525	22.225	7.142		24.613	1.575	ZZS SFR6A-ZZS-MC3-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
9.525	22.225	7.142		24.613	1.575	ZZS SFR6A-ZZS-MC3-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
10.000 x 15.000 mm (0.394 x 0.591 in.)							
10.000	15.000	3.000				Open S6700-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
10.000	15.000	3.000				Open S6700-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
10.000 x 19.000 mm (0.394 x 0.748 in.)							
10.000	19.000	5.000				Open S6800-GR7-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
10.000	19.000	5.000				Open S6800-GR5-L23	Bearings - Ball - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
10.000	19.000	5.000				ZZS S6800-ZZS-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
10.000	19.000	5.000				ZZS S6800-ZZS-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
10.000	19.000	5.000		21.000	1.000	Open SF6800-GR7-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 7
10.000	19.000	5.000		21.000	1.000	Open SF6800-GR5-L23	Bearings - Ball - Flanged - High Precision - 440C Stainless Windsorlube L245X Oil Precision: Abec 5
10.000	19.000	5.000		21.000	1.000	ZZ SF6800-ZZGR5	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 5
10.000	19.000	5.000		21.000	1.000	ZZ SF6800-ZZGR7	Bearings - Ball - Flanged - High Precision - 440C Stainless Grease / Standard Precision: Abec 7
10.000	19.000	7.000				ZZS S6800B-ZZS-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
10.000	19.000	7.000				ZZS S6800B-ZZS-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
10.000	19.000	7.000		21.000	1.500	ZZS SF6800B-ZZS-GR5-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
10.000	19.000	7.000		21.000	1.500	ZZS SF6800B-ZZS-GR7-G48	Bearings - Ball - Flanged - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7

Stocked or Short Delivery (up to 4 weeks) Usually 4-6 week delivery

Long delivery or not in current production

d	D	B	Bn	DF	BF	Part Number	Type
12.700 x 19.050 mm (0.500 x 0.750 in.)							
12.700	19.050	4.978				ZZS SR11216A-ZZS-GR7-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 7
12.700	19.050	4.978				ZZS SR11216A-ZZS-GR5-G48	Bearings - Ball - High Precision - 440C Stainless Turmogrease Li 802 EP plus Precision: Abec 5
15.875 x 34.925 mm (0.625 x 1.375 in.)							
15.875	34.925	8.731				ZZ SR10A-ZZ-U7-L23	Bearings - Ball - High Precision - 440C Stainless Oil - Windsortube L245X Precision: Abec 7
19.050 x 41.275 mm (0.750 x 1.625 in.)							
19.050	41.275	7.938				Open SR12-U5-G5	Bearings - Ball - High Precision - 440C Stainless Beacon 325 Grease Precision: Abec 5
41.275 x 47.625 mm (1.625 x 1.875 in.)							
41.275	47.625	3.969				ZZ SR13052-KB-ZZS-MC6-13-U5-L21	Bearings - Ball - High Precision - 440C Stainless Oil - Anderol L401D Precision: Abec 5

Stocked or Short Delivery (up to 4 weeks)

Usually 4-6 week delivery

Long delivery or not in current production

Tips

If typing the links into your web browser manually, please ensure you type the FULL link including the / at the end to avoid display errors

Bearing Failure - Bearing Material Selection - Bearing Speed - Clearances
Precision - Measuring Small Parts

<http://www.minibearings.com.au/catalogue/info/>

Miniature Bearing Cross Reference - Prefix and Suffix Listing

<http://www.minibearings.com.au/catalogue/charts/>

Commonly Used Lubricants

Grease

G5: Beacon 325
G9: Andok C
G21: Shell Aeroshell No 7
G36: Mobil 28 EP
G39: Dow Corning 33 Light
G42: Dupont Krytox 240AC
G43: GE Versilube G300
G47: Shell Aeroshell 15A
G48: Shell Alvania RS
G58: Kluber Isoflex LDS 18 Special A
G84: Kluber Asonic GHY72
G341: Texaco Low Temp EP

Oil

L0: Shell Aeroshell Fluid 12
L2: Kluber Isoflex PDP38
L6: GE Versilube F50
L21: Lehigh Chemical Anderol L401D
L23: Anderson Windsorube L245X
L45: Shell Aeroshell Fluid 3
L58: Nycolube 11B MIL L6085A



Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

High Precision Ball Bearings 2018