



MBA

2018

Dowel Pins

Carbon Steel and Stainless Steel

Dowel Pins



**Din 6325, ISO 2338
Chamfered Ends**



**Din 7
Rounded Ends**

Catalogue includes dowel pins of type Din 6325 (ISO 2338) and Din 7 in various materials.

Dowel pins provide an almost permanent fixing between two mating parts. Once assembled they are very difficult to remove.

Types 1 and 2 (Din 6325/ISO2338) lengths are measured over the entire length whilst type 3 (Din 7) rounded end pins are measured excluding the rounded end.

The end can be filed or ground off after assembly to disguise the fixing area.

Pins with vents assist with assembly and extraction in blind holes by preventing trapped air.

Type 1 and 2 pins are generally interchangeable.

Taper pins and dowel bushings are not included in this catalogue and can instead be found in our PINS general catalogue.


Type the part number from this catalogue into the search box on any web page for more information, pricing and availability.

Diagrams and Pictures


Notes! Dowel Pins are NOT the same as needle rollers. Do not substitute.

Types 1 and 2 dowel pins are generally considered interchangeable. We may substitute types 1 and 2 pins unless your order specifically requests no substitutes.

Dowel Pins - Chamfered End



Dowel Pins - Rounded End



Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
0.792 (0.031") +0.002/+0.008 (mm)	2.39 +/-0.254	2.39 +/-0.254	DP007-002-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	3.18 +/-0.254	3.18 +/-0.254	DP007-003-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	3.96 +/-0.254	3.96 +/-0.254	DP007-004-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	4.78 +/-0.254	4.78 +/-0.254	DP007-005-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	5.56 +/-0.254	5.56 +/-0.254	DP007-006-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP007-007-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	7.93 +/-0.254	7.93 +/-0.254	DP007-008-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP007-010-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	11.13 +/-0.350	11.13 +/-0.350	DP007-011-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	12.70 +/-0.254	13.10	DP007-013-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	14.28 +/-0.350	14.28 +/-0.350	DP007-014-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP007-016-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP007-019-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.792 (0.031") +0.002/+0.008 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP007-022-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.800 (0.031") +0.002/+0.008 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP008-004-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.800 (0.031") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP008-005-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.800 (0.031") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP008-006-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.800 (0.031") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP008-008-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.800 (0.031") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP008-010-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
0.800 (0.031") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP008-012-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP010-004-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP010-004-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.000 (0.039") +0.002/+0.008 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP010-004-CH1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.000 (0.039") +0.002/+0.008 (mm)	4.00 +/-0.254	4.50	DP010-004-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP010-005-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP010-005-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.000 (0.039") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP010-006-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP010-006-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.000 (0.039") +0.002/+0.008 (mm)	6.00 +/-0.254	6.50	DP010-006-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP010-008-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP010-008-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
1.000 (0.039") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP010-010-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP010-010-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.000 (0.039") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP010-012-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP010-012-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.000 (0.039") +0.002/+0.008 (mm)	12.00 +/-0.254	12.50	DP010-012-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
1.000 (0.039") +0.002/+0.008 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP010-016-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP015-004-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.500 (0.059") +0.002/+0.008 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP015-004-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	4.00 +/-0.254	4.80	DP015-006-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
1.500 (0.059") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP015-005-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.500 (0.059") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP015-005-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP015-006-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.500 (0.059") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP015-006-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	6.00 +/-0.254	6.80	DP015-006-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
1.500 (0.059") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP015-008-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	8.00 +/-0.254	8.80	DP015-008-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
1.500 (0.059") +0.002/+0.008 (mm)	8.00 +/-0.254	8.80	DP015-008-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
1.500 (0.059") +0.002/+0.008 (mm)	9.00 +/-0.254	9.80	DP015-009-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
1.500 (0.059") +0.002/+0.008 (mm)	9.00 +/-0.254	10.00	DP015-010-SPF899-316	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless ASTM F899
1.500 (0.059") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP015-010-304-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 304 Stainless HRB80
1.500 (0.059") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP015-010-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	10.00 +/-0.254	10.80	DP015-010-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
1.500 (0.059") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP015-012-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.500 (0.059") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP015-012-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	12.00 +/-0.254	12.80	DP015-012-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
1.500 (0.059") +0.002/+0.008 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP015-014-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.500 (0.059") +0.002/+0.008 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP015-014-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP015-016-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.500 (0.059") +0.002/+0.008 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP015-016-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	16.00 +/-0.254	16.80	DP015-016-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
1.500 (0.059") +0.002/+0.008 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP015-018-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
1.500 (0.059") +0.002/+0.008 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP015-020-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP015-022-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	23.00 +/-0.254	24.00	DP015-024-SPF899-316	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless ASTM F899
1.500 (0.059") +0.002/+0.008 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP015-024-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP015-026-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP015-028-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.500 (0.059") +0.002/+0.008 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP015-030-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.588 (0.063") +0.002/+0.008 (mm)	2.39 +/-0.254	2.39 +/-0.254	DP016-002-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	3.18 +/-0.254	3.18 +/-0.254	DP016-003-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	3.96 +/-0.254	3.96 +/-0.254	DP016-004-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	4.76 +/-0.254	4.76 +/-0.254	DP016-005-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.588 (0.063") +0.002/+0.008 (mm)	4.78 +/-0.254	4.78 +/-0.254	DP016-005-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	4.78 +/-0.254	4.78 +/-0.254	DP016-005-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	5.56 +/-0.254	5.56 +/-0.254	DP016-006-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP016-007-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063")	6.35	6.35	DP016-064-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP016-006-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP016-006-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.588 (0.063") +0.002/+0.008 (mm)	7.93 +/-0.254	7.93 +/-0.254	DP016-008-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	7.93 +/-0.254	7.93 +/-0.254	DP016-008-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	7.94 +/-0.254	7.94 +/-0.254	DP016-008-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.588 (0.063") +0.002/+0.008 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP016-010-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063")	9.53	9.53	DP016-095-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP016-010-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP016-010-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.588 (0.063") +0.002/+0.008 (mm)	11.10 +/-0.350	11.10 +/-0.350	DP016-011-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	11.11 +/-0.350	11.11 +/-0.350	DP016-011-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.588 (0.063") +0.002/+0.008 (mm)	11.13 +/-0.350	11.13 +/-0.350	DP016-011-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP016-013-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP016-013-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP016-013-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
1.588 (0.063") +0.002/+0.008 (mm)	14.28 +/-0.350	14.28 +/-0.350	DP016-014-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP016-016-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP016-016-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP016-016-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.588 (0.063") +0.002/+0.008 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP016-019-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP016-019-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP016-019-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.588 (0.063") +0.002/+0.008 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP016-022-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP016-022-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP016-022-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
1.588 (0.063") +0.002/+0.008 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP016-025-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
1.588 (0.063") +0.002/+0.008 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP016-025-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
1.588 (0.063") +0.002/+0.008 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP016-025-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP020-004-304-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP020-004-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	4.00 +/-0.254	5.00	DP020-004-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP020-005-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP020-005-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP020-005-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	5.00 +/-0.254	6.00	DP020-005-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP020-006-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP020-006-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP020-006-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	6.00 +/-0.254	7.00	DP020-006-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	6.00 +/-0.254	7.00	DP020-006-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
2.000 (0.079") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP020-008-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP020-008-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP020-008-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	8.00 +/-0.254	9.00	DP020-008-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	8.00 +/-0.254	9.00	DP020-008-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
2.000 (0.079") +0.002/+0.008 (mm)	8.00 +/-0.254	9.00	DP020-008-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
2.000 (0.079") +0.002/+0.008 (mm)	9.00 +/-0.254	10.00	DP020-009-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	9.00 +/-0.254	10.00	DP020-009-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
2.000 (0.079") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP020-010-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP020-010-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP020-010-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	10.00 +/-0.254	11.00	DP020-010-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	10.00 +/-0.254	11.00	DP020-010-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
2.000 (0.079") +0.002/+0.008 (mm)	11.00 +/-0.254	12.00	DP020-011-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	11.00 +/-0.254	12.00	DP020-011-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
2.000 (0.079") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP020-012-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP020-012-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP020-012-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	12.00 +/-0.254	13.00	DP020-012-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	12.00 +/-0.254	13.00	DP020-012-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
2.000 (0.079") +0.002/+0.008 (mm)	13.00 +/-0.254	14.00	DP020-013-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP020-014-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP020-014-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP020-014-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	14.00 +/-0.254	15.00	DP020-014-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	14.00 +/-0.254	15.00	DP020-014-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP020-016-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP020-016-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP020-016-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	16.00 +/-0.254	17.00	DP020-016-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	16.00 +/-0.254	17.00	DP020-016-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
2.000 (0.079") +0.002/+0.008 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP020-018-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP020-018-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP020-018-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	18.00 +/-0.254	19.00	DP020-018-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	19.00 +/-0.254	20.00	DP020-019-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP020-020-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
2.000 (0.079") +0.002/+0.008 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP020-020-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP020-020-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	20.00 +/-0.254	21.00	DP020-020-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP020-022-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP020-024-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP020-024-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.000 (0.079") +0.002/+0.008 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP020-024-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.000 (0.079") +0.002/+0.008 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP020-026-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP020-028-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP020-030-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP020-032-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP020-036-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.000 (0.079") +0.002/+0.008 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP020-040-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	2.39 +/-0.254	2.39 +/-0.254	DP024-002-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	3.18 +/-0.254	3.18 +/-0.254	DP024-003-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	3.96 +/-0.254	3.96 +/-0.254	DP024-004-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	4.75 +/-0.254	4.75 +/-0.254	DP024-005-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	4.76 +/-0.254	4.76 +/-0.254	DP024-005-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	4.78 +/-0.254	4.78 +/-0.254	DP024-005-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	5.56 +/-0.254	5.56 +/-0.254	DP024-006-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP024-007-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP024-006-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	7.92 +/-0.254	7.92 +/-0.254	DP024-008-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	7.93 +/-0.254	7.93 +/-0.254	DP024-008-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	7.93 +/-0.254	7.93 +/-0.254	DP024-008-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	7.94 +/-0.254	7.94 +/-0.254	DP024-008-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	8.89 +/-0.254	8.89 +/-0.254	DP024-009-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP024-010-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP024-010-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	11.10 +/-0.350	11.10 +/-0.350	DP024-011-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	11.10 +/-0.350	11.10 +/-0.350	DP024-011-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
2.381 (0.094") +0.002/+0.008 (mm)	11.11 +/-0.350	11.11 +/-0.350	DP024-011-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	11.13 +/-0.350	11.13 +/-0.350	DP024-011-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP024-013-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094")	12.70	12.70	DP024-127-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP024-013-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP024-013-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP024-013-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	14.28 +/-0.350	14.28 +/-0.350	DP024-014-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP024-016-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP024-016-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP024-016-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP024-019-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP024-019-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP024-019-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094")	19.05	19.05	DP024-191-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP024-019-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP024-022-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP024-022-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP024-022-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP024-022-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP024-025-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP024-025-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP024-025-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.381 (0.094") +0.002/+0.008 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP024-025-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.381 (0.094") +0.002/+0.008 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP024-032-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	34.93 +/-0.500	34.93 +/-0.500	DP024-035-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.381 (0.094") +0.002/+0.008 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP024-038-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP025-004-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP025-005-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP025-005-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	5.00 +/-0.254	6.20 +/-0.254	DP025-005-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
2.500 (0.098") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP025-006-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP025-006-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP025-006-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	6.00 +/-0.254	7.20	DP025-006-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP025-008-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP025-008-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP025-008-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	8.00 +/-0.254	9.20	DP025-008-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	9.00 +/-0.254	10.20	DP025-009-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP025-010-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP025-010-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP025-010-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	10.00 +/-0.254	11.20	DP025-010-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	11.00 +/-0.254	12.20	DP025-011-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP025-012-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP025-012-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP025-012-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	12.00 +/-0.254	13.20	DP025-012-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP025-014-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP025-014-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP025-014-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	14.00 +/-0.254	15.20	DP025-014-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	15.00 +/-0.254	16.20	DP025-015-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP025-016-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP025-016-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP025-016-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	16.00 +/-0.254	17.20	DP025-016-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP025-018-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP025-018-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP025-018-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	19.00 +/-0.254	20.20	DP025-019-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
2.500 (0.098") +0.002/+0.008 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP025-020-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP025-020-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP025-020-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	20.00 +/-0.254	21.20	DP025-020-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP025-022-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP025-024-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP025-024-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP025-024-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
2.500 (0.098") +0.002/+0.008 (mm)	24.00 +/-0.254	25.20	DP025-024-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP025-025-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP025-026-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP025-028-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP025-030-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	30.00 +/-0.254	31.20	DP025-030-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
2.500 (0.098") +0.002/+0.008 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP025-032-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP025-036-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP025-040-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP025-045-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
2.500 (0.098") +0.002/+0.008 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP025-050-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	3.00 +/-0.254	3.00 +/-0.254	DP030-003-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.000 (0.118") +0.004/+0.012 (mm)	4.00 +/-0.254	4.00 +/-0.254	DP030-004-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	4.00 +/-0.254	5.50	DP030-004-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
3.000 (0.118") +0.004/+0.012 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP030-005-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	5.00 +/-0.254	6.50	DP030-005-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP030-006-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP030-006-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	6.00 +/-0.254	7.50	DP030-006-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	6.00 +/-0.254	7.50	DP030-006-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	7.00 +/-0.254	8.50	DP030-007-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP030-008-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP030-008-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
3.000 (0.118") +0.004/+0.012 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP030-008-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.000 (0.118") +0.004/+0.012 (mm)	8.00 +/-0.254	9.50	DP030-008-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	8.00 +/-0.254	9.50	DP030-008-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	8.00 +/-0.254	9.50	DP030-008-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
3.000 (0.118") +0.004/+0.012 (mm)	8.00 +/-0.254	10.00 +/-0.254	DP030-008-316-3-10L	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP030-010-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP030-010-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP030-010-304-F	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP030-010-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.000 (0.118") +0.004/+0.012 (mm)	10.00 +/-0.254	11.50	DP030-010-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	10.00 +/-0.254	11.50	DP030-010-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	11.00 +/-0.254	12.50	DP030-011-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	11.00 +/-0.254	12.50	DP030-011-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP030-012-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP030-012-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP030-012-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.000 (0.118") +0.004/+0.012 (mm)	12.00 +/-0.254	13.50	DP030-012-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	12.00 +/-0.254	13.50	DP030-012-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP030-014-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP030-014-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP030-014-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.000 (0.118") +0.004/+0.012 (mm)	14.00 +/-0.254	15.50	DP030-014-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	14.00 +/-0.254	15.50	DP030-014-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
3.000 (0.118") +0.004/+0.012 (mm)	15.00 +/-0.254	16.50	DP030-015-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP030-016-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP030-016-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP030-016-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.000 (0.118") +0.004/+0.012 (mm)	16.00 +/-0.254	17.50	DP030-016-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	16.00 +/-0.254	17.50	DP030-016-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	16.00 +/-0.254	17.50	DP030-016-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
3.000 (0.118") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP030-018-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
3.000 (0.118") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP030-018-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP030-018-304-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP030-018-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.000 (0.118") +0.004/+0.012 (mm)	18.00 +/-0.254	19.50	DP030-018-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	18.00 +/-0.254	19.50	DP030-018-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
3.000 (0.118") +0.004/+0.012 (mm)	19.00 +/-0.254	20.50	DP030-019-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP030-020-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP030-020-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP030-020-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.000 (0.118") +0.004/+0.012 (mm)	20.00 +/-0.254	21.50	DP030-020-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	20.00 +/-0.254	21.50	DP030-020-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	20.00 +/-0.254	21.50	DP030-020-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
3.000 (0.118") +0.004/+0.012 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP030-022-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP030-024-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP030-024-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP030-024-316-2	Pins - Dowel - Standard - 316 Stainless - Chamfered End Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP030-024-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.000 (0.118") +0.004/+0.012 (mm)	24.00 +/-0.254	25.50	DP030-024-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	24.00 +/-0.254	25.50	DP030-024-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
3.000 (0.118") +0.004/+0.012 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP030-025-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP030-026-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP030-028-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP030-028-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP030-030-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP030-030-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.000 (0.118") +0.004/+0.012 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP030-032-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP030-035-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP030-036-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP030-040-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP030-045-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP030-050-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
3.000 (0.118") +0.004/+0.012 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP030-055-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.000 (0.118") +0.004/+0.012 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP030-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	2.39 +/-0.254	2.39 +/-0.254	DP032-002-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	3.18 +/-0.254	3.18 +/-0.254	DP032-003-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	3.96 +/-0.254	3.96 +/-0.254	DP032-004-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	4.75 +/-0.254	4.75 +/-0.254	DP032-005-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	4.78 +/-0.254	4.78 +/-0.254	DP032-005-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	5.56 +/-0.254	5.56 +/-0.254	DP032-006-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP032-007-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP032-006-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP032-006-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	7.92 +/-0.254	7.92 +/-0.254	DP032-008-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	7.93 +/-0.254	7.93 +/-0.254	DP032-008-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	7.94 +/-0.254	7.94 +/-0.254	DP032-079-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP032-010-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP032-010-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP032-010-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP032-010-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP032-010-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	11.10 +/-0.350	11.10 +/-0.350	DP032-011-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	11.13 +/-0.350	11.13 +/-0.350	DP032-011-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP032-013-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP032-013-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP032-013-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP032-013-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	14.27 +/-0.350	14.27 +/-0.350	DP032-014-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	14.28 +/-0.350	14.28 +/-0.350	DP032-014-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP032-016-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP032-016-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP032-016-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP032-016-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
3.175 (0.125") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP032-019-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP032-019-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP032-019-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125")	19.05	19.05	DP032-191-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP032-019-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP032-019-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP032-022-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP032-022-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP032-022-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP032-022-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP032-022-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP032-025-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP032-025-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP032-025-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP032-025-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP032-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	28.58 +/-0.420	28.58 +/-0.420	DP032-029-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	28.58 +/-0.420	28.58 +/-0.420	DP032-029-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP032-032-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP032-032-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP032-032-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP032-032-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP032-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	34.93 +/-0.500	34.93 +/-0.500	DP032-035-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	34.93 +/-0.500	34.93 +/-0.500	DP032-035-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	34.93 +/-0.500	34.93 +/-0.500	DP032-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP032-038-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP032-038-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP032-038-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP032-038-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
3.175 (0.125") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP032-038-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
3.175 (0.125") +0.004/+0.012 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP032-044-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP032-044-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP032-051-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP032-051-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
3.175 (0.125") +0.004/+0.012 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP032-051-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
3.175 (0.125") +0.004/+0.012 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP032-051-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
3.969 (0.156") +0.004/+0.012 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP039-010-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.969 (0.156") +0.004/+0.012 (mm)	11.10 +/-0.350	11.10 +/-0.350	DP039-011-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.969 (0.156") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP039-013-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.969 (0.156") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP039-016-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.969 (0.156")	15.88	15.88	DP039-159-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.969 (0.156") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP039-019-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.969 (0.156") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP039-022-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.969 (0.156")	25.40	25.40	DP039-254-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.969 (0.156") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP039-025-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
3.969 (0.156") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP039-032-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
4.000 (0.157") +0.004/+0.012 (mm)	5.00 +/-0.254	5.00 +/-0.254	DP040-005-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP040-006-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP040-006-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	6.00 +/-0.254	8.00 +/-0.254	DP040-006-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP040-008-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP040-008-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
4.000 (0.157") +0.004/+0.012 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP040-008-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	8.00 +/-0.254	10.00 +/-0.254	DP040-008-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	8.00 +/-0.254	10.00	DP040-008-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
4.000 (0.157") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP040-010-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP040-010-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP040-010-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
4.000 (0.157") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP040-010-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	10.00 +/-0.254	12.00	DP040-010-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	10.00 +/-0.254	12.00	DP040-010-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
4.000 (0.157") +0.004/+0.012 (mm)	10.00 +/-0.254	12.00	DP040-010-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
4.000 (0.157") +0.004/+0.012 (mm)	11.00 +/-0.254	13.00	DP040-011-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP040-012-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP040-012-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP040-012-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
4.000 (0.157") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP040-012-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	12.00 +/-0.254	14.00	DP040-012-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	12.00 +/-0.254	14.00	DP040-012-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
4.000 (0.157") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP040-014-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP040-014-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP040-014-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
4.000 (0.157") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP040-014-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	14.00 +/-0.254	16.00	DP040-014-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	14.00 +/-0.254	16.00	DP040-014-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
4.000 (0.157") +0.004/+0.012 (mm)	15.00 +/-0.254	17.00	DP040-015-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP040-016-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP040-016-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP040-016-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
4.000 (0.157") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP040-016-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	16.00 +/-0.254	18.00	DP040-016-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	16.00 +/-0.254	18.00	DP040-016-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
4.000 (0.157") +0.004/+0.012 (mm)	16.00 +/-0.254	18.00	DP040-016-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
4.000 (0.157") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP040-018-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP040-018-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP040-018-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
4.000 (0.157") +0.004/+0.012 (mm)	18.00 +/-0.254	20.00	DP040-018-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP040-020-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP040-020-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP040-020-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
4.000 (0.157") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP040-020-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	20.00 +/-0.254	22.00	DP040-020-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
4.000 (0.157") +0.004/+0.012 (mm)	20.00 +/-0.254	22.00	DP040-020-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
4.000 (0.157") +0.004/+0.012 (mm)	20.00 +/-0.254	22.00	DP040-020-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
4.000 (0.157") +0.004/+0.012 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP040-022-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	22.00 +/-0.254	24.00	DP040-022-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP040-024-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP040-024-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP040-024-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
4.000 (0.157") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP040-024-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	24.00 +/-0.254	26.00	DP040-024-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	24.00 +/-0.254	26.00	DP040-024-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
4.000 (0.157") +0.004/+0.012 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP040-025-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP040-025-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP040-026-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP040-028-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP040-028-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP040-028-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	28.00 +/-0.254	30.00	DP040-028-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	28.00 +/-0.254	30.00	DP040-028-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
4.000 (0.157") +0.004/+0.012 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP040-030-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP040-030-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP040-030-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	30.00 +/-0.254	32.00	DP040-030-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
4.000 (0.157") +0.004/+0.012 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP040-032-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP040-032-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP040-032-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP040-035-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP040-036-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP040-036-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP040-036-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP040-040-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP040-040-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
4.000 (0.157") +0.004/+0.012 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP040-040-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	40.00 +/-0.254	42.00	DP040-040-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	40.00 +/-0.254	42.00	DP040-040-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
4.000 (0.157") +0.004/+0.012 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP040-045-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP040-045-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP040-050-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP040-050-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.000 (0.157") +0.004/+0.012 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP040-050-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
4.000 (0.157") +0.004/+0.012 (mm)	50.00 +/-0.254	52.00	DP040-050-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
4.000 (0.157") +0.004/+0.012 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP040-055-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP040-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP040-070-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.000 (0.157") +0.004/+0.012 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP040-080-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	6.35 +/-0.254	6.35 +/-0.254	DP048-006-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	7.93 +/-0.254	7.93 +/-0.254	DP048-008-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP048-010-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP048-010-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP048-010-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	11.10 +/-0.350	11.10 +/-0.350	DP048-011-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	11.13 +/-0.350	11.13 +/-0.350	DP048-011-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP048-013-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP048-013-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP048-013-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188")	12.70	12.70	DP048-127-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP048-013-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP048-013-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP048-016-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP048-016-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP048-016-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP048-016-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP048-016-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
4.763 (0.188") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP048-019-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP048-019-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP048-019-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP048-019-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP048-019-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP048-022-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP048-022-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP048-022-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP048-022-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP048-022-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP048-025-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP048-025-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP048-025-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP048-254-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP048-025-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP048-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	28.58 +/-0.420	28.58 +/-0.420	DP048-029-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP048-032-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP048-032-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP048-032-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP048-032-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP048-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	34.93 +/-0.500	34.93 +/-0.500	DP048-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP048-038-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP048-038-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP048-038-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP048-038-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
4.763 (0.188") +0.004/+0.012 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP048-038-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP048-044-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP048-044-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP048-044-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
4.763 (0.188") +0.004/+0.012 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP048-044-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP048-051-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP048-051-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP048-051-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
4.763 (0.188") +0.004/+0.012 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP048-051-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
4.763 (0.188") +0.004/+0.012 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP048-064-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP050-006-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP050-006-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	6.00 +/-0.254	8.50	DP050-006-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP050-008-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP050-008-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	8.00 +/-0.254	10.50	DP050-008-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP050-010-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP050-010-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP050-010-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
5.000 (0.197") +0.004/+0.012 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP050-010-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	10.00 +/-0.254	12.50	DP050-010-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	10.00 +/-0.254	12.50	DP050-010-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
5.000 (0.197") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP050-012-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP050-012-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
5.000 (0.197") +0.004/+0.012 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP050-012-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	12.00 +/-0.254	14.50	DP050-012-303-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	12.00 +/-0.254	14.50	DP050-012-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	12.00 +/-0.254	14.50	DP050-012-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
5.000 (0.197") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP050-014-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP050-014-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP050-014-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
5.000 (0.197") +0.004/+0.012 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP050-014-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	14.00 +/-0.254	16.50	DP050-014-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP050-016-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP050-016-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
5.000 (0.197") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP050-016-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
5.000 (0.197") +0.004/+0.012 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP050-016-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	16.00 +/-0.254	18.50	DP050-016-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	16.00 +/-0.254	18.50	DP050-016-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
5.000 (0.197") +0.004/+0.012 (mm)	17.00 +/-0.254	19.50	DP050-017-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP050-018-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP050-018-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP050-018-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
5.000 (0.197") +0.004/+0.012 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP050-018-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP050-020-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP050-020-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP050-020-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
5.000 (0.197") +0.004/+0.012 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP050-020-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	20.00 +/-0.254	22.50	DP050-020-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	20.00 +/-0.254	22.50	DP050-020-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
5.000 (0.197") +0.004/+0.012 (mm)	20.00 +/-0.254	22.50	DP050-020-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
5.000 (0.197") +0.004/+0.012 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP050-022-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP050-024-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP050-024-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP050-024-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
5.000 (0.197") +0.004/+0.012 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP050-024-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	24.00 +/-0.254	26.50	DP050-024-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	24.00 +/-0.254	26.50	DP050-024-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
5.000 (0.197") +0.004/+0.012 (mm)	24.00 +/-0.254	26.50	DP050-024-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
5.000 (0.197") +0.004/+0.012 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP050-025-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP050-025-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP050-026-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP050-028-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP050-028-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP050-028-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP050-030-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
5.000 (0.197") +0.004/+0.012 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP050-030-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
5.000 (0.197") +0.004/+0.012 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP050-030-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP050-030-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	30.00 +/-0.254	32.50	DP050-030-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
5.000 (0.197") +0.004/+0.012 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP050-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP050-032-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP050-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP050-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP050-036-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP050-036-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP050-036-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP050-040-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP050-040-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP050-040-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	40.00 +/-0.254	42.50	DP050-040-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	40.00 +/-0.254	42.50	DP050-040-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
5.000 (0.197") +0.004/+0.012 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP050-045-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP050-045-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP050-045-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP050-045-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP050-050-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP050-050-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP050-050-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP050-050-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M3
5.000 (0.197") +0.004/+0.012 (mm)	50.00 +/-0.254	52.50	DP050-050-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP050-055-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP050-055-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP050-060-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
5.000 (0.197") +0.004/+0.012 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP050-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
5.000 (0.197") +0.004/+0.012 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP050-070-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	6.00 +/-0.254	6.00 +/-0.254	DP060-006-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
6.000 (0.236") +0.006/+0.015 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP060-008-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP060-010-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP060-010-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP060-010-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4-0.70
6.000 (0.236") +0.006/+0.015 (mm)	10.00 +/-0.254	13.00 +/-0.254	DP060-010-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	10.00 +/-0.254	13.00 +/-0.254	DP060-010-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	10.00 +/-0.254	13.00 +/-0.254	DP060-010-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
6.000 (0.236") +0.006/+0.015 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP060-012-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP060-012-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP060-012-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
6.000 (0.236") +0.006/+0.015 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP060-012-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	12.00 +/-0.254	15.00 +/-0.254	DP060-012-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	12.00 +/-0.254	15.00 +/-0.254	DP060-012-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
6.000 (0.236") +0.006/+0.015 (mm)	12.00 +/-0.254	15.00 +/-0.254	DP060-012-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
6.000 (0.236") +0.006/+0.015 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP060-014-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP060-014-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP060-014-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
6.000 (0.236") +0.006/+0.015 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP060-014-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	14.00 +/-0.254	17.00 +/-0.254	DP060-014-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP060-016-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP060-016-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP060-016-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
6.000 (0.236") +0.006/+0.015 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP060-016-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	16.00 +/-0.254	19.00 +/-0.254	DP060-016-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	16.00 +/-0.254	19.00 +/-0.254	DP060-016-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	16.00 +/-0.254	19.00 +/-0.254	DP060-016-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
6.000 (0.236") +0.006/+0.015 (mm)	16.00 +/-0.254	19.00 +/-0.254	DP060-016-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
6.000 (0.236") +0.006/+0.015 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP060-018-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP060-018-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP060-018-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
6.000 (0.236") +0.006/+0.015 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP060-018-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
6.000 (0.236") +0.006/+0.015 (mm)	18.00 +/-0.254	21.00	DP060-018-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
6.000 (0.236") +0.006/+0.015 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP060-020-CH-1EF	Pins - Dowel - Extractable - With Vent
6.000 (0.236") +0.006/+0.015 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP060-020-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP060-020-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
6.000 (0.236") +0.006/+0.015 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP060-020-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	20.00 +/-0.254	23.00	DP060-020-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	20.00 +/-0.254	23.00	DP060-020-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
6.000 (0.236") +0.006/+0.015 (mm)	20.00 +/-0.254	23.00	DP060-020-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
6.000 (0.236") +0.006/+0.015 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP060-022-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP060-024-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP060-024-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP060-024-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
6.000 (0.236") +0.006/+0.015 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP060-024-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	24.00 +/-0.254	27.00	DP060-024-304-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 304 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	24.00 +/-0.254	27.00	DP060-024-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
6.000 (0.236") +0.006/+0.015 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP060-025-CH-1EF	Pins - Dowel - Extractable - With Vent
6.000 (0.236") +0.006/+0.015 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP060-025-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP060-025-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP060-026-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	26.00 +/-0.254	29.00	DP060-026-C-3	Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends Material: Carbon Steel Unhardened
6.000 (0.236") +0.006/+0.015 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP060-028-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP060-028-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP060-028-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP060-030-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP060-030-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
6.000 (0.236") +0.006/+0.015 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP060-030-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP060-030-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	30.00 +/-0.254	33.00	DP060-030-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	30.00 +/-0.254	33.00	DP060-030-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
6.000 (0.236") +0.006/+0.015 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP060-032-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP060-032-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
6.000 (0.236") +0.006/+0.015 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP060-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP060-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP060-035-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP060-036-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP060-036-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP060-036-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP060-040-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP060-040-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.000 (0.236") +0.006/+0.015 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP060-040-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP060-040-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	40.00 +/-0.254	43.00 +/-0.254	DP060-040-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	40.00 +/-0.254	43.00 +/-0.254	DP060-040-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
6.000 (0.236") +0.006/+0.015 (mm)	40.00 +/-0.254	43.00 +/-0.254	DP060-040-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
6.000 (0.236") +0.006/+0.015 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP060-045-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP060-045-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP060-045-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP060-050-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
6.000 (0.236") +0.006/+0.015 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP060-050-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP060-050-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP060-050-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	50.00 +/-0.254	53.00 +/-0.254	DP060-050-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	50.00 +/-0.254	53.00 +/-0.254	DP060-050-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
6.000 (0.236") +0.006/+0.015 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP060-055-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP060-055-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP060-055-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP060-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP060-060-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP060-060-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP060-060-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	60.00 +/-0.254	63.00 +/-0.254	DP060-060-304-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 304 Stainless HRB80
6.000 (0.236") +0.006/+0.015 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP060-070-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
6.000 (0.236") +0.006/+0.015 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP060-070-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP060-080-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP060-080-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M4
6.000 (0.236") +0.006/+0.015 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP060-090-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.000 (0.236") +0.006/+0.015 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP060-100-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP064-010-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	9.53 +/-0.254	9.53 +/-0.254	DP064-010-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	11.10 +/-0.350	11.10 +/-0.350	DP064-011-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP064-013-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
6.350 (0.250") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP064-013-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP064-013-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP064-013-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.350 (0.250") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP064-013-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP064-013-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP064-013-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 8-32
6.350 (0.250") +0.006/+0.015 (mm)	14.27 +/-0.350	14.27 +/-0.350	DP064-014-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP064-016-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP064-016-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP064-016-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.350 (0.250") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP064-016-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP064-016-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP064-019-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
6.350 (0.250") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP064-019-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP064-019-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP064-019-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.350 (0.250") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP064-019-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP064-191-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP064-019-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP064-019-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 8-32
6.350 (0.250") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP064-022-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP064-022-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
6.350 (0.250") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP064-022-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.350 (0.250") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP064-022-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP064-022-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP064-025-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
6.350 (0.250") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP064-025-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP064-025-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP064-025-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.350 (0.250")	25.40	25.40	DP064-254-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP064-025-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP064-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP064-025-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 8-32
6.350 (0.250") +0.006/+0.015 (mm)	28.58 +/-0.420	28.58 +/-0.420	DP064-029-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP064-032-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
6.350 (0.250") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP064-032-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP064-032-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP064-032-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.350 (0.250") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP064-032-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP064-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP064-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 8-32
6.350 (0.250") +0.006/+0.015 (mm)	34.93 +/-0.500	34.93 +/-0.500	DP064-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP064-038-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
6.350 (0.250") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP064-038-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP064-038-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP064-038-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
6.350 (0.250") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP064-038-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250")	38.10	38.10	DP064-381-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP064-038-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP064-038-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 8-32
6.350 (0.250") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP064-044-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP064-044-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP064-044-303-1	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
6.350 (0.250") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP064-044-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP064-044-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP064-051-CH-1EF	Pins - Dowel - Extractable - With Vent
6.350 (0.250") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP064-051-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP064-051-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP064-051-303-1	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
6.350 (0.250") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP064-051-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
6.350 (0.250") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP064-051-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP064-051-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 8-32
6.350 (0.250") +0.006/+0.015 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP064-057-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP064-057-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP064-057-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP064-064-CH-1EF	Pins - Dowel - Extractable - With Vent
6.350 (0.250") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP064-064-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP064-064-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP064-064-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP064-064-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 8-32
6.350 (0.250") +0.006/+0.015 (mm)	69.85 +/-0.600	69.85 +/-0.600	DP064-070-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
6.350 (0.250") +0.006/+0.015 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP064-076-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP079-013-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP079-013-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP079-013-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
7.938 (0.313") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP079-013-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP079-013-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
7.938 (0.313") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP079-016-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP079-016-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP079-016-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
7.938 (0.313") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP079-016-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP079-019-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP079-019-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP079-019-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
7.938 (0.313") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP079-019-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP079-019-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
7.938 (0.313") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP079-022-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP079-022-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP079-022-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
7.938 (0.313") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP079-022-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP079-025-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP079-025-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP079-025-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
7.938 (0.313") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP079-254-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
7.938 (0.313") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP079-025-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP079-025-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
7.938 (0.313") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP079-032-CH-1EF	Pins - Dowel - Extractable - With Vent
7.938 (0.313") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP079-032-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP079-032-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP079-032-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
7.938 (0.313") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP079-032-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP079-032-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
7.938 (0.313") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP079-038-CH-1EF	Pins - Dowel - Extractable - With Vent
7.938 (0.313") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP079-038-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP079-038-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP079-038-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
7.938 (0.313") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP079-038-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP079-038-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
7.938 (0.313") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP079-044-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP079-044-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP079-044-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP079-051-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP079-051-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP079-051-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP079-051-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
7.938 (0.313") +0.006/+0.015 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP079-057-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP079-057-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP079-057-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP079-064-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP079-064-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313")	63.50	63.50	DP079-635-416-1	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
7.938 (0.313") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP079-064-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP079-064-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
7.938 (0.313") +0.006/+0.015 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP079-076-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP079-076-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
7.938 (0.313") +0.006/+0.015 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP079-076-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	8.00 +/-0.254	8.00 +/-0.254	DP080-008-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP080-010-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP080-012-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP080-012-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP080-012-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	12.00 +/-0.254	16.00	DP080-012-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
8.000 (0.315") +0.006/+0.015 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP080-014-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP080-014-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	15.00 +/-0.350	15.00 +/-0.350	DP080-015-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP080-016-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP080-016-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP080-016-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
8.000 (0.315") +0.006/+0.015 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP080-016-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	16.00 +/-0.254	20.00	DP080-016-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	16.00 +/-0.254	20.00	DP080-016-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
8.000 (0.315") +0.006/+0.015 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP080-018-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP080-018-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP080-018-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
8.000 (0.315") +0.006/+0.015 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP080-018-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP080-020-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
8.000 (0.315") +0.006/+0.015 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP080-020-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP080-020-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
8.000 (0.315") +0.006/+0.015 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP080-020-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	20.00 +/-0.254	24.00	DP080-020-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
8.000 (0.315") +0.006/+0.015 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP080-022-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	22.00 +/-0.254	26.00	DP080-022-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
8.000 (0.315") +0.006/+0.015 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP080-024-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP080-024-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP080-024-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
8.000 (0.315") +0.006/+0.015 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP080-024-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	24.00 +/-0.254	28.00	DP080-024-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
8.000 (0.315") +0.006/+0.015 (mm)	24.00 +/-0.254	28.00	DP080-024-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
8.000 (0.315") +0.006/+0.015 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP080-025-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
8.000 (0.315") +0.006/+0.015 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP080-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP080-025-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP080-026-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP080-028-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP080-028-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP080-028-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP080-030-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
8.000 (0.315") +0.006/+0.015 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP080-030-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP080-030-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
8.000 (0.315") +0.006/+0.015 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP080-030-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP080-030-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	30.00 +/-0.254	34.00	DP080-030-303-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	30.00 +/-0.254	34.00	DP080-030-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
8.000 (0.315") +0.006/+0.015 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP080-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP080-032-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP080-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP080-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP080-035-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M5

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
8.000 (0.315") +0.006/+0.015 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP080-036-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP080-036-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP080-036-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP080-040-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") -0.002/-0.015 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP080-040-316-2U	Pins - Dowel - Standard - 316 Stainless - Chamfered End Material: 316 Stainless - : Undersize
8.000 (0.315") +0.006/+0.015 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP080-040-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
8.000 (0.315") +0.006/+0.015 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP080-040-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP080-040-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	40.00 +/-0.254	44.00	DP080-040-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
8.000 (0.315") +0.006/+0.015 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP080-045-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP080-045-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP080-045-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP080-045-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP080-050-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP080-050-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP080-050-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	50.00 +/-0.254	54.00	DP080-050-316-3	Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends Material: 316 Stainless
8.000 (0.315") +0.006/+0.015 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP080-055-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP080-055-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP080-055-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP080-060-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP080-060-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP080-060-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP080-060-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP080-070-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP080-070-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP080-070-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP080-080-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
8.000 (0.315") +0.006/+0.015 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP080-080-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP080-080-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	80.00 +/-0.254	84.00	DP080-080-303-3	Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
8.000 (0.315") +0.006/+0.015 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP080-090-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP080-090-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP080-100-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP080-100-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M5
8.000 (0.315") +0.006/+0.015 (mm)	110.00 +/-0.700	110.00 +/-0.700	DP080-110-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
8.000 (0.315") +0.006/+0.015 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP080-120-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP095-013-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP095-013-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	12.70 +/-0.350	12.70 +/-0.350	DP095-013-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP095-016-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP095-016-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	15.88 +/-0.350	15.88 +/-0.350	DP095-016-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP095-019-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP095-019-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP095-019-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
9.525 (0.375") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP095-019-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP095-019-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
9.525 (0.375") +0.006/+0.015 (mm)	22.23 +/-0.420	22.23 +/-0.420	DP095-022-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP095-025-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
9.525 (0.375") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP095-025-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP095-025-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375")	25.40	25.40	DP095-254-416-1	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
9.525 (0.375") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP095-025-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
9.525 (0.375") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP095-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP095-025-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
9.525 (0.375") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP095-032-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
9.525 (0.375") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP095-032-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP095-032-CH-10	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP095-032-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
9.525 (0.375") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP095-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP095-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 10-32

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
9.525 (0.375") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP095-038-CH-1EF	Pins - Dowel - Extractable - With Vent
9.525 (0.375") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP095-038-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP095-038-CH-10	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP095-038-416-2	Pins - Dowel - Standard - 416 Stainless - Chamfered End Material: 416 Stainless Rc 36-42
9.525 (0.375") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP095-038-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP095-038-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
9.525 (0.375") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP095-044-CH-1EF	Pins - Dowel - Extractable - With Vent
9.525 (0.375") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP095-044-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP095-044-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP095-044-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP095-044-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
9.525 (0.375") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP095-051-CH-1EF	Pins - Dowel - Extractable - With Vent
9.525 (0.375") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP095-051-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP095-051-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP095-051-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP095-051-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
9.525 (0.375") +0.006/+0.015 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP095-057-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP095-057-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP095-064-CH-1EF	Pins - Dowel - Extractable - With Vent
9.525 (0.375") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP095-064-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP095-064-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP095-064-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP095-064-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
9.525 (0.375") +0.006/+0.015 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP095-076-CH-1EF	Pins - Dowel - Extractable - With Vent
9.525 (0.375") +0.006/+0.015 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP095-076-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP095-076-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP095-076-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
9.525 (0.375") +0.006/+0.015 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP095-076-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 10-32
10.000 (0.394") +0.007/+0.018 (mm)	10.00 +/-0.350	10.00 +/-0.350	DP100-010-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	12.00 +/-0.350	12.00 +/-0.350	DP100-012-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP100-014-303-2	Pins - Dowel - Standard - 303-304 Stainless - Chamfered End Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
10.000 (0.394") +0.007/+0.018 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP100-016-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP100-016-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP100-016-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	16.00 +/-0.254	21.00	DP100-016-303-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	16.00 +/-0.254	21.00	DP100-016-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
10.000 (0.394") +0.007/+0.018 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP100-018-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP100-020-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP100-020-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
10.000 (0.394") +0.007/+0.018 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP100-020-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP100-020-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	20.00 +/-0.254	25.00	DP100-020-303-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	20.00 +/-0.254	25.00	DP100-020-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
10.000 (0.394") +0.007/+0.018 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP100-022-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP100-024-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP100-024-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP100-024-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
10.000 (0.394") +0.007/+0.018 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP100-024-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	24.00 +/-0.254	29.00	DP100-024-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
10.000 (0.394") +0.007/+0.018 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP100-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP100-025-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP100-026-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP100-028-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP100-028-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP100-028-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP100-030-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
10.000 (0.394") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP100-030-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP100-030-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
10.000 (0.394") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP100-030-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP100-030-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	30.00 +/-0.254	35.00	DP100-030-303-3	<i>Pins - Dowel - Standard - 303-304 Stainless - Rounded Both Ends</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP100-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
10.000 (0.394") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP100-032-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP100-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP100-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP100-035-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP100-036-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP100-036-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP100-036-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP100-040-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
10.000 (0.394") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP100-040-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP100-040-416-2	<i>Pins - Dowel - Standard - 416 Stainless - Chamfered End</i> Material: 416 Stainless Rc 36-42
10.000 (0.394") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP100-040-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP100-040-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	40.00 +/-0.254	45.00	DP100-040-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
10.000 (0.394") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP100-045-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP100-045-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP100-045-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP100-045-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP100-050-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP100-050-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP100-050-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP100-050-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP100-055-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP100-055-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP100-055-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP100-060-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
10.000 (0.394") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP100-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP100-060-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP100-060-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP100-060-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP100-070-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP100-070-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
10.000 (0.394") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP100-070-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP100-070-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP100-080-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP100-080-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP100-080-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP100-080-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP100-090-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP100-090-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP100-090-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP100-090-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP100-100-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP100-100-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
10.000 (0.394") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP100-100-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP100-100-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
10.000 (0.394") +0.007/+0.018 (mm)	110.00 +/-0.700	110.00 +/-0.700	DP100-110-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP100-120-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
10.000 (0.394") +0.007/+0.018 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP100-120-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
11.113 (0.438") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP111-025-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP111-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP111-025-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
11.113 (0.438") +0.007/+0.018 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP111-032-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP111-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP111-038-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP111-038-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP111-038-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
11.113 (0.438") +0.007/+0.018 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP111-044-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP111-051-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
11.113 (0.438") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP111-051-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP111-051-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP111-051-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
11.113 (0.438") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP111-064-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
11.113 (0.438") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP111-064-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP111-076-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
11.113 (0.438") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP111-076-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	12.00 +/-0.254	18.00	DP120-012-316-3	<i>Pins - Dowel - Standard - 316 Stainless - Rounded Both Ends</i> Material: 316 Stainless
12.000 (0.472") +0.007/+0.018 (mm)	14.00 +/-0.350	14.00 +/-0.350	DP120-014-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP120-016-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	16.00 +/-0.350	16.00 +/-0.350	DP120-016-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP120-018-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	18.00 +/-0.420	18.00 +/-0.420	DP120-018-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	18.00 +/-0.254	24.00	DP120-018-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
12.000 (0.472") +0.007/+0.018 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP120-020-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP120-020-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	20.00 +/-0.420	20.00 +/-0.420	DP120-020-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	22.00 +/-0.420	22.00 +/-0.420	DP120-022-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP120-024-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP120-024-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP120-024-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP120-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	25.00 +/-0.420	25.00 +/-0.420	DP120-025-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP120-026-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP120-028-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP120-028-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP120-028-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP120-030-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
12.000 (0.472") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP120-030-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP120-030-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP120-030-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP120-030-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP120-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP120-032-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP120-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
12.000 (0.472") +0.007/+0.018 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP120-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP120-035-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP120-036-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP120-036-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP120-036-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP120-040-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP120-040-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP120-040-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP120-040-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP120-045-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP120-045-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP120-045-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP120-045-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP120-050-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
12.000 (0.472") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP120-050-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP120-050-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP120-050-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP120-050-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP120-055-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP120-055-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP120-055-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP120-060-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
12.000 (0.472") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP120-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP120-060-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP120-060-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP120-060-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP120-070-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP120-070-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP120-070-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP120-070-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP120-080-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
12.000 (0.472") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP120-080-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP120-080-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP120-090-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP120-090-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP120-090-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP120-100-303-2	<i>Pins - Dowel - Standard - 303-304 Stainless - Chamfered End</i> Material: 303 Stainless HRB80
12.000 (0.472") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP120-100-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP120-100-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.000 (0.472") +0.007/+0.018 (mm)	110.00 +/-0.700	110.00 +/-0.700	DP120-110-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP120-120-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
12.000 (0.472") +0.007/+0.018 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP120-120-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M6
12.700 (0.500") +0.007/+0.018 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP127-019-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP127-019-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	19.05 +/-0.420	19.05 +/-0.420	DP127-019-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP127-025-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
12.700 (0.500") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP127-025-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP127-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP127-025-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP127-025-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
12.700 (0.500") +0.007/+0.018 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP127-032-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
12.700 (0.500") +0.007/+0.018 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP127-032-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP127-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP127-032-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP127-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
12.700 (0.500") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP127-038-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
12.700 (0.500") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP127-038-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP127-038-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP127-038-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP127-038-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
12.700 (0.500") +0.007/+0.018 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP127-044-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
12.700 (0.500") +0.007/+0.018 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP127-044-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
12.700 (0.500") +0.007/+0.018 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP127-044-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP127-044-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP127-044-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
12.700 (0.500") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP127-051-CH-1EF	Pins - Dowel - Extractable - With Vent
12.700 (0.500") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP127-051-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP127-051-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP127-051-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP127-051-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
12.700 (0.500") +0.007/+0.018 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP127-057-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP127-057-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP127-057-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP127-064-CH-1EF	Pins - Dowel - Extractable - With Vent
12.700 (0.500") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP127-064-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP127-064-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP127-064-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP127-064-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
12.700 (0.500") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP127-076-CH-1EF	Pins - Dowel - Extractable - With Vent
12.700 (0.500") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP127-076-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP127-076-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP127-076-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
12.700 (0.500") +0.007/+0.018 (mm)	88.90 +/-0.700	88.90 +/-0.700	DP127-089-CH-1EF	Pins - Dowel - Extractable - With Vent
12.700 (0.500") +0.007/+0.018 (mm)	88.90 +/-0.700	88.90 +/-0.700	DP127-089-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	88.90 +/-0.700	88.90 +/-0.700	DP127-089-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP127-102-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
12.700 (0.500") +0.007/+0.018 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP127-102-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP140-024-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP140-026-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP140-028-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP140-028-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP140-030-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP140-032-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
14.000 (0.551") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP140-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP140-036-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP140-036-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP140-040-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP140-040-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP140-045-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP140-045-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP140-050-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP140-050-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP140-055-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP140-055-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP140-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP140-060-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP140-070-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP140-070-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP140-080-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP140-080-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP140-090-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP140-090-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP140-100-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP140-100-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
14.000 (0.551") +0.007/+0.018 (mm)	110.00 +/-0.700	110.00 +/-0.700	DP140-110-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP140-120-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
14.000 (0.551") +0.007/+0.018 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP140-120-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
15.875 (0.625") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP159-025-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP159-025-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	25.40 +/-0.420	25.40 +/-0.420	DP159-025-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	31.75 +/-0.500	31.75 +/-0.500	DP159-032-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP159-038-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
15.875 (0.625") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP159-038-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP159-038-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
15.875 (0.625") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP159-038-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP159-038-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
15.875 (0.625") +0.007/+0.018 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP159-044-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP159-044-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	44.45 +/-0.500	44.45 +/-0.500	DP159-044-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP159-051-CH-1EF	Pins - Dowel - Extractable - With Vent
15.875 (0.625") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP159-051-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP159-051-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP159-051-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
15.875 (0.625") +0.007/+0.018 (mm)	57.15 +/-0.600	57.15 +/-0.600	DP159-057-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP159-064-CH-1EF	Pins - Dowel - Extractable - With Vent
15.875 (0.625") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP159-064-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP159-064-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP159-064-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP159-064-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
15.875 (0.625") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP159-076-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP159-076-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Bright Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP159-076-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP159-076-CH-1E	Pins - Dowel - Extractable Material: Carbon Steel Rc 58-62 - Thread Size: 1/4-20
15.875 (0.625") +0.007/+0.018 (mm)	88.90 +/-0.700	88.90 +/-0.700	DP159-089-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	88.90 +/-0.700	88.90 +/-0.700	DP159-089-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP159-102-CHBL-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP159-102-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	114.30 +/-0.700	114.30 +/-0.700	DP159-114-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	127.00 +/-0.800	127.00 +/-0.800	DP159-127-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
15.875 (0.625") +0.007/+0.018 (mm)	152.40 +/-0.800	152.40 +/-0.800	DP159-152-CH-1	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	24.00 +/-0.420	24.00 +/-0.420	DP160-024-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	26.00 +/-0.420	26.00 +/-0.420	DP160-026-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	28.00 +/-0.420	28.00 +/-0.420	DP160-028-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP160-030-CH-1	Pins - Dowel - Standard - Chamfered End Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP160-030-CH-1-PK25	Pins - Dowel - Standard - Chamfered End Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
16.000 (0.630") +0.007/+0.018 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP160-030-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP160-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP160-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP160-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP160-035-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP160-036-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP160-036-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP160-040-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP160-040-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP160-040-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP160-045-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP160-045-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP160-045-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP160-050-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
16.000 (0.630") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP160-050-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP160-050-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP160-050-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	50.00 +/-0.254	58.00	DP160-050-C-3	<i>Pins - Dowel - Standard - Unhardened Steel - Rounded Both Ends</i> Material: Carbon Steel Unhardened
16.000 (0.630") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP160-055-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP160-055-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP160-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP160-060-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP160-060-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP160-070-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP160-070-CH-1-PK25	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP160-070-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP160-080-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP160-080-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8-1.25
16.000 (0.630") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP160-090-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP160-090-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP160-100-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
16.000 (0.630") +0.007/+0.018 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP160-100-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	110.00 +/-0.700	110.00 +/-0.700	DP160-110-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP160-120-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP160-120-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M8
16.000 (0.630") +0.007/+0.018 (mm)	130.00 +/-0.800	130.00 +/-0.800	DP160-130-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
16.000 (0.630") +0.007/+0.018 (mm)	140.00 +/-0.800	140.00 +/-0.800	DP160-140-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP191-038-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
19.050 (0.750") +0.008/+0.021 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP191-038-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	38.10 +/-0.500	38.10 +/-0.500	DP191-038-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
19.050 (0.750") +0.008/+0.021 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP191-051-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
19.050 (0.750") +0.008/+0.021 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP191-051-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP191-051-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP191-051-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
19.050 (0.750") +0.008/+0.021 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP191-064-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP191-064-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP191-064-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
19.050 (0.750") +0.008/+0.021 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP191-076-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
19.050 (0.750") +0.008/+0.021 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP191-076-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP191-076-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP191-076-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
19.050 (0.750") +0.008/+0.021 (mm)	88.90 +/-0.700	88.90 +/-0.700	DP191-089-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	88.90 +/-0.700	88.90 +/-0.700	DP191-089-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	88.90 +/-0.700	88.90 +/-0.700	DP191-089-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
19.050 (0.750") +0.008/+0.021 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP191-102-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP191-102-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP191-102-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
19.050 (0.750") +0.008/+0.021 (mm)	114.30 +/-0.700	114.30 +/-0.700	DP191-114-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	127.00 +/-0.800	127.00 +/-0.800	DP191-127-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
19.050 (0.750") +0.008/+0.021 (mm)	152.40 +/-0.800	152.40 +/-0.800	DP191-152-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	30.00 +/-0.500	30.00 +/-0.500	DP200-030-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP200-032-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
20.000 (0.787") +0.008/+0.021 (mm)	32.00 +/-0.500	32.00 +/-0.500	DP200-032-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	35.00 +/-0.500	35.00 +/-0.500	DP200-035-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP200-036-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	36.00 +/-0.500	36.00 +/-0.500	DP200-036-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP200-040-CH-1E	<i>Pins - Dowel - Extractable - With Vent</i> Hardness: Carbon Steel Rc 58-62 - Thread Size: M10-1.5
20.000 (0.787") +0.008/+0.021 (mm)	40.00 +/-0.500	40.00 +/-0.500	DP200-040-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP200-045-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	45.00 +/-0.500	45.00 +/-0.500	DP200-045-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP200-050-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP200-050-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP200-055-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	55.00 +/-0.600	55.00 +/-0.600	DP200-055-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP200-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP200-060-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP200-070-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP200-070-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP200-080-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP200-080-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP200-090-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP200-090-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP200-100-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP200-100-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	110.00 +/-0.700	110.00 +/-0.700	DP200-110-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	110.00 +/-0.700	110.00 +/-0.700	DP200-110-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP200-120-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP200-120-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP200-120-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M10
20.000 (0.787") +0.008/+0.021 (mm)	130.00 +/-0.800	130.00 +/-0.800	DP200-130-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	130.00 +/-0.800	130.00 +/-0.800	DP200-130-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	140.00 +/-0.800	140.00 +/-0.800	DP200-140-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
20.000 (0.787") +0.008/+0.021 (mm)	140.00 +/-0.800	140.00 +/-0.800	DP200-140-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
22.225 (0.875") +0.008/+0.021 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP222-051-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	50.00 +/-0.600	50.00 +/-0.600	DP250-050-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP250-060-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	60.00 +/-0.600	60.00 +/-0.600	DP250-060-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M16
25.000 (0.984") +0.008/+0.021 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP250-070-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	70.00 +/-0.600	70.00 +/-0.600	DP250-070-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M16
25.000 (0.984") +0.008/+0.021 (mm)	80.00 +/-0.700	80.00 +/-0.700	DP250-080-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP250-090-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	90.00 +/-0.700	90.00 +/-0.700	DP250-090-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M16
25.000 (0.984") +0.008/+0.021 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP250-100-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	100.00 +/-0.700	100.00 +/-0.700	DP250-100-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M16
25.000 (0.984") +0.008/+0.021 (mm)	110.00 +/-0.700	110.00 +/-0.700	DP250-110-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	110.00 +/-0.700	110.00 +/-0.700	DP250-110-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP250-120-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP250-120-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	120.00 +/-0.800	120.00 +/-0.800	DP250-120-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: M16
25.000 (0.984") +0.008/+0.021 (mm)	130.00 +/-0.800	130.00 +/-0.800	DP250-130-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	130.00 +/-0.800	130.00 +/-0.800	DP250-130-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	140.00 +/-0.800	140.00 +/-0.800	DP250-140-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	140.00 +/-0.800	140.00 +/-0.800	DP250-140-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	150.00 +/-0.800	150.00 +/-0.800	DP250-150-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.000 (0.984") +0.008/+0.021 (mm)	150.00 +/-0.800	150.00 +/-0.800	DP250-150-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.400 (1.000") +0.008/+0.021 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP254-051-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
25.400 (1.000") +0.008/+0.021 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP254-051-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.400 (1.000") +0.008/+0.021 (mm)	50.80 +/-0.600	50.80 +/-0.600	DP254-051-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
25.400 (1.000") +0.008/+0.021 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP254-064-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.400 (1.000") +0.008/+0.021 (mm)	63.50 +/-0.600	63.50 +/-0.600	DP254-064-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
25.400 (1.000") +0.008/+0.021 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP254-076-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
25.400 (1.000") +0.008/+0.021 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP254-076-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.400 (1.000") +0.008/+0.021 (mm)	76.20 +/-0.600	76.20 +/-0.600	DP254-076-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
25.400 (1.000") +0.008/+0.021 (mm)	88.90 +/-0.700	88.90 +/-0.700	DP254-089-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Dowel Pins

Diameter (D) mm (inches)	Length (L) mm	Overall Length mm	Part Number	
25.400 (1.000") +0.008/+0.021 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP254-102-CH-1EF	<i>Pins - Dowel - Extractable - With Vent</i>
25.400 (1.000") +0.008/+0.021 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP254-102-CHBL-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: 100Cr6 Steel - Heat Treated with Black Lustre Finish Rc 58-62
25.400 (1.000") +0.008/+0.021 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP254-102-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.400 (1.000") +0.008/+0.021 (mm)	101.60 +/-0.700	101.60 +/-0.700	DP254-102-CH-1E	<i>Pins - Dowel - Extractable</i> Material: Carbon Steel Rc 58-62 - Thread Size: 5/16-18
25.400 (1.000") +0.008/+0.021 (mm)	114.30 +/-0.700	114.30 +/-0.700	DP254-114-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.400 (1.000") +0.008/+0.021 (mm)	127.00 +/-0.800	127.00 +/-0.800	DP254-127-CH-1-PK05	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62
25.400 (1.000") +0.008/+0.021 (mm)	152.40 +/-0.800	152.40 +/-0.800	DP254-152-CH-1	<i>Pins - Dowel - Standard - Chamfered End</i> Material: Alloy Steel - Heat Treated and Ground Rc 58-62

Stocked or Short Delivery

Usually Available Short Delivery

Long delivery or not in current production

Tips

Please ensure you check the website for full information before ordering pins. This catalogue is designed as a quick reference to help you find potentially suitable parts quickly.

Dowel Bushings - used to provide a hardened housing in soft material to allow a bolt to pivot through the centre without damage to surrounding material.

Dowel Pins - provide an almost permanent fixing between two mating parts. Once assembled they are very difficult to remove. Types 1 and 2 lengths are measured over the entire length whilst type 3 rounded end pins are measured excluding the rounded end. The end can be filed or ground off after assembly to disguise the fixing area. Pins with vents assist with assembly and extraction in blind holes by preventing trapped air. Type 1 and 2 pins are generally interchangeable.

Extractable taper pins and dowel pins have either an internal or external thread to assist with disassembly by use of a slide hammer or other pullers.

Taper Pins - used as a quick method to secure parts similar to a dowel pin, but can be removed more easily. Metric pins have a 50:1 taper and the reference end is the small end. Imperial pins have a 48:1 taper and the reference end is the large end.



Distributed By

Miniature Bearings Australia
<http://www.minibearings.com.au>
sales@minibearings.com.au

Resellers: Please place your contact sticker over our details

Avoid verbal communication

We sell an extensive range of products with varying amounts of technical data. Please assist us to provide you with accurate information by placing your orders and enquiries online or by e-mail.

Dowel Pins 2018